

Alberta Swine Improvement Program

#204, 7000 - 113 St. Edmonton Alberta T6H 5T6 phone: 427-5319

HOME TEST REPORT

September 1 - 15, 1987

OCT - 2 1987

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire to all other sires in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The sire's EBV index is also an across herd comparison of the sire's genetic worth which combines backfat and age into one figure. A 100 index is the average for each breed for Western Canada. The greater index value above 100, the greater the overall genetic worth. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are also available for dams and other regions of Canada from the Pork Industry Branch at the address listed on page 2.

How To Use This Report

(See Reverse)



Agriculture
Canada

/2 . .

Alberta
AGRICULTURE

How To Use This Report

BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

1. Determine what breeds or crossbreeds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by:

Lajos Hajdu
Senior Swine Technician
Alberta Agriculture, Pork Industry Branch
#204, 7000 - 113 Street
EDMONTON, Alberta
T6H 5T6
Phone: 427 - 5319

B O A R S

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENTIFICATION	BACKFAT		AGE	
		FAT (MM)	AGE (DAYS)	EBV INDEX	EBV INDEX		(MM) TO 90 KG	TO 90 KG	DAYS TO 90 KG	INDEX
<u>YORKSHIRE</u>										
Braat, J. Coaldale 327-9757	12 month average					101 pigs	(12.1)	(149)		100
	ARBF 784T					ARBF 215W	12.5	165		61
	"					" 216W	11.8	149		104
	ANZI 3863P					" 220W	11.5	168		67
	"					" 243W	9.5	156		115
	"					" 244W	10.6	156		103
	ARBF 784T					" 247W	12.5	140		114
	"					" 248W	13.2	155		74
Gwynne Vista Farms Gwynne 352-2998	12 month average					44 pigs	(14.0)	(171)		100
	GWYN 14308T					GWYN 2903W	14.5	183		78
	AOGK 741T					" 3302W	11.1	179		114
	"					" 3303W	15.2	186		66
	GWYN 14308T					" 3402W	12.3	178		105
	"					" 3405W	13.1	173		106
	"					" 3406W	14.7	177		85
	NPD 8714T (1)					" 3602W	8.9	183		128
	"					" 3603W	12.7	174		107
	"					" 3604W	10.9	164		139
	"					" 3701W	16.1	182		63
	"					" 3704W	12.0	186		95
	YRZN 575T (1)					" 3801W	14.1	159		117
	"					" 3802W	15.0	155		115
	AOGK 741T					" 4202W	11.6	164		132
	"					" 4203W	10.5	163		144
	"					" 4908W	11.8	161		134
	"					" 5205W	13.8	159		120
	"					" 5206W	14.2	157		118
	"					" 5207W	12.1	155		141
atejka, G. ylvan Lake 87-2656	12 month average					200 pigs	(13.2)	(158)		100
	KKEF 02180T					KKEF 641W	11.7	165		108
	"					" 653W	11.9	166		102
	"					" 662W	10.7	164		121
	"					" 713W	11.3	172		102
	"					" 715W	10.7	171		111
	"					" 716W	9.7	167		130
	DOUG 354T					" 760W	10.5	152		144

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)	EBV INDEX					
Matejka, G. (continued)	KKEF 342U					" 800W	11.8	152	128
	"					" 804W	12.5	157	111
	KKEF 2641S	-1.3	-1.3	128		" 810W	10.1	153	147
	KKEF 532U					" 821W	11.5	153	130
	RITR 33U					" 830W	11.1	150	138
	KKEF 2701S	-1.5	-9.1	162		" 844W	10.3	151	147
	KKEF 02180T					" 876W	12.8	165	94
	KKEF 2193S	-1.2	-4.8	141		" 889W	10.8	156	134
	KKEF 02180T					" 920W	13.6	147	113
	RITR 33U					" 930W	13.4	149	112
	"					" 935W	15.2	159	74
	KKEF 02180T					" 990W	11.1	150	138
	KKEF 532U					" 1001W	12.4	149	125
"					" 1007W	11.6	152	131	
McCarthy, J. Lindale 542-4531	12 month average					24 pigs	(14.9)	(146)	100
	ASZT 372S	+0.1	+4.3	81		ASZT 85W	15.0	143	106
	"	"	"	"		" 86W	18.7	138	59
	"	"	"	"		" 87W	15.7	135	113
	"	"	"	"		" 88W	17.6	134	85
Milne, B. Ponoka 783-6695	12 month average					112 pigs	(13.9)	(148)	100
	MILN 188T					MILN 170W	10.3	151	145
	"					" 0176W	10.8	158	122
	KKEF 2332T (1)					" 180W	11.1	154	126
	"					" 181W	11.9	157	109
	"					" 185W	13.1	158	88
	"					" 267W	13.0	143	125
	MILN 490U					" 279W	11.5	154	122
	MILN 678T					" 295W	12.5	152	113
	"					" 296W	12.3	147	127
	"					" 297W	12.8	147	119
	"					" 298W	12.6	142	132
	MILN 388T					" 306W	13.1	142	127
	KKEF 2332T (1)					" 320W	12.7	140	135
	"					" 321W	11.3	144	148
	"					" 322W	13.1	146	118
	"					" 323W	11.9	145	137
	"					" 324W	12.2	140	142
Morinville Colony Morinville 939-2118	12 month average					(Not Available)			
	JKAA 1101T					MCMC 80W	7.4	149	
	"					" 88W	6.6	156	
	JKAA 1101T					" 90W	10.0	155	
	"					" 92W	9.8	158	

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		BACKFAT (MM) TO 90 KG	AGE DAYS	
		FAT (MM)	AGE (DAYS)	EBV INDEX	PIG IDENTIFICATION		TO 90 KG	INDE
Neufeld Farms Ltd.	12 month average				(Not Available)			
Acme								
546-3969	RITR 505U				NEUF 1W	13.8	134	
	"				" 2W	12.6	134	
	"				" 3W	13.5	129	
Papenhuyzen, C.	12 month average				23 pigs	(17.2)	(165)	100
Stony Plain								
963-4358	TVW 252U				ASUS 215W	17.6	143	129
	"				" 219W	14.8	150	157
Roeske, M.	12 month average				41 pigs	(15.4)	(148)	100
Alcomdale								
939-4938	ROSE 106U				ROSE 140W	13.2	152	117
	IMP 24P (x)				" 158W	13.7	170	80
	"				" 176W	14.7	148	109
	"				" 180W	13.6	156	106
	ROSE 336T				" 186W	12.3	146	136
	"				" 187W	9.9	138	177
	IMP 24P (x)				" 194W	12.0	144	144
	"				" 196W	12.1	146	138
	"				" 197W	13.4	157	106
	ROSE 336T				" 200W	12.7	154	119
	"				" 202W	11.9	148	139
	"				" 207W	12.7	161	106
Vandenberg, J.	12 month average				52 pigs	(15.1)	(156)	100
Camrose								
672-6177	ASCG 170T				ASCG 131W	16.2	161	78
	ASCG 180T				" 140W	15.0	160	93
	ASCG 90U				" 151W	15.2	168	76
	"				" 153W	14.7	162	93
	"				" 154W	13.2	173	90
	"				" 155W	17.3	172	44
	ASCG 180T				" 200W	13.8	144	139
	"				" 201W	14.4	132	153
	"				" 206W	15.6	154	98
	ASCG 170T				" 210W	14.3	159	104
	"				" 216W	13.9	157	112
	"				" 218W	16.1	157	87
Wakeena Farm	12 month average				(Not Available)			
Bentley								
748-4252	RITR 512U				KEEN 102W	11.4	165	
	"				" 140W	12.7	158	

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)	EBV INDEX					
Weber Farms Ltd. Castor 882-2572	12 month average AWGF 134T " " MILN 293S					(Not Available) AWGF 253W " 256W " 257W " 264W	16.5 16.9 18.5 16.2	155 161 159 150	
		-0.9	+5.4	95					

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENTIFICATION	BACKFAT	AGE	INDEX
		FAT (MM)	AGE (DAYS)	EBV INDEX	(MM) TO 90 KG		DAYS TO 90 KG		
<u>LACOMBE</u>									
Gwynne Vista Farms	12 month average					111 pigs	(13.5)	(163)	100
Gwynne									
352-2998	JA 522S	-0.9	+4.4	104	KR	3201W	13.2	171	90
	"	"	"	"	"	3202W	13.7	176	77
	CDAO 153T (1)				"	3502W	13.8	170	85
	"				"	3503W	9.7	184	106
	"				"	3504W	14.5	168	81
	"				"	3505W	13.7	169	89
	JA 522S	-0.9	+4.4	104	KR	4305W	11.4	154	138
	NE 36U (1)				"	4401W	12.9	161	110
	"				"	4403W	12.0	162	118
	"				"	4406W	12.6	162	112
	JA 522S	-0.9	+4.4	104	"	4801W	11.3	167	117
	" "	"	"	"		5102W	11.9	156	129
<u>HAMPSHIRE</u>									
Braat, J.	12 month average					26 pigs	(13.6)	(142)	100
Coaldale									
327-9757	ARBF 656T				ARBF	224W	14.5	151	77
	"				"	225W	12.1	148	104
Morinville Colony	12 month average					(Not Available)			
Morinville									
939-2118	ASUS 30T	+0.2	-10.9	127	MCMC	46W	11.1	192	
	JKAA 3102U				"	81W	8.4	154	
	"				"	82W	9.6	156	
Papenhuyzen, C.	12 month average					31 pigs	(14.1)	(171)	100
Stony Plain									
963-4358	AOVX 2R	-0.9	-8.3	157	ASUS	205W	13.7	149	135
	"	"	"	"	"	206W	16.9	156	91
	"	"	"	"	"	207W	14.3	156	118
Vandenberg, J.	12 month average					(Not Available)			
Camrose									
672-6177	ASCG 63T				ASCG	190W	16.7	156	
	"				"	193W	16.9	160	
	"				"	194W	16.5	163	
	"				"	300W	14.0	141	
	"				"	303W	14.2	139	

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)	EBV					

DUROC

Neufeld Farms Ltd. 12 month average

(Not Available)

Acme

546-3969

ASOV 932T (1)

NEUF 46W	14.4	206
" 48W	12.4	163
" 55W	13.4	149
" 56W	14.7	157
" 57W	14.7	154
" 58W	14.4	147
" 60W	14.3	161
" 68W	15.3	150
" 69W	14.8	148
" 70W	14.2	152
" 71W	13.2	152
" 72W	16.4	146

NEUF 180T

Vandenberg, J. 12 month average

Camrose

672-6177

ASCG 8U

28 pigs	(14.5)	(149)	100
ASCG 233W	14.1	162	78
" 251W	17.1	142	77
" 265W	17.6	148	57

CROSSBRED

Baat, J. 12 month average

Coaldale

327-9757

ASBZ 541S

ARBF 656T

"

ASBZ 541S

"

ARBF 656T

ASBZ 541S

"

"

"

103 pigs	(13.3)	(143)	100
241W	16.2	155	49
252W	10.0	148	123
253W	12.3	144	109
270W	16.9	140	72
271W	11.4	148	109
273W	14.4	150	77
279W	16.2	133	93
280W	15.6	143	79
288W	15.2	144	80
313W	18.4	131	75

Neufeld Farms Ltd. 12 month average

Acme

546-3969

204

AJCM 2425

"

"

"

1

1

1

84 pigs	(14.4)	(157)	100
62W	12.2	162	119
70W	16.3	168	61
71W	11.8	156	132
72W	15.0	179	62
75W	13.4	160	108
77W	15.3	150	98
82W	13.9	157	107
83W	14.0	155	108

REEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		BACKFAT (MM) TO 90 KG	AGE DAYS	
		FAT (MM)	AGE (DAYS)	EBV INDEX	PIG IDENTIFICATION		TO 90 KG	INDEX
eufeld Farms Ltd.1					84W	14.3	163	93
continued)	1				85W	15.3	157	90
	1				87W	14.0	158	104
	2701				89W	14.2	152	110
	2701				90W	16.0	153	86
	2701				91W	17.8	160	55
	2701				92W	14.5	151	107
	NEUF 180T				94W	15.3	146	104
	"				95W	18.2	158	52
	"				96W	14.8	149	106
	"				97W	15.2	154	95
	"				98W	15.0	147	107
	332				11611W	14.4	159	96
	2				1209W	15.7	151	93
	2				12010W	13.2	145	131
	KKEF 2332T (1)				1211W	15.9	147	97
	"				1212W	16.0	160	77
	"				1213W	11.6	142	154
	"				1214W	13.3	157	113
	"				1215W	13.8	139	133
	"				1216W	13.2	153	121
	204				1327W	12.2	134	158
	204				1328W	13.6	139	134
anchview Test Barn 12 month average					859 pigs	(13.4)	(154)	100
entley								
48-3802	AJCM 1481S (1)	-0.7	+1.7	116	1312W	10.8	151	137
	RFAA 3522T				1345W	15.3	150	85
	"				1347W	16.4	156	62
	"				1351W	12.6	146	126
	"				1352W	13.9	160	82
	"				1354W	11.4	153	126
	"				1355W	15.0	154	82
	"				1356W	14.3	145	108
	AMBW 514S (1)	-2.1	+7.0	110	1383W	11.4	155	122
	AJCM 1481S (1)	-0.7	1.7	116	1391W	13.4	166	76
	RFAA 3271T				1402W	12.1	149	125
	AJCM 2425T (1)				1423W	12.1	149	125
	"				14211W	12.0	156	113
	ARHL 313T (1)	-1.6	-0.8	129	1441W	13.8	141	121
	AOUD 858T (1)				1473W	9.8	151	148
	ATJC 04U (1)				1483W	12.0	139	145
	"				1484W	12.9	142	131
	"				1485W	13.6	155	97
	RFAA 671P				1023W	13.5	161	85
	"				1033W	12.4	160	99

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENTIFICATION	BACKFAT		AGE	
		FAT (MM)	AGE (DAYS)	EBV INDEX			(MM) TO 90 KG	DAYS TO 90 KG	INDEX	
Ranchview Test Barn (cont.)	KKEF 2332T (1)					1119W	13.5	155	96	
	RFAA 3271T					1153W	15.0	156	78	
	AJCM 242T (1)					1162W	13.7	146	113	
	"					1164W	13.2	154	102	
	RFAA 2165T					1187W	16.6	158	56	
	AOUD 858T (1)					1192W	13.3	167	76	
	"					1193W	14.6	161	72	
	"					1194W	12.7	159	99	
	"					1195W	13.8	159	86	
	"					1196W	12.6	155	107	
	RFAA 1510U					1202W	13.8	155	94	
	"					1203W	14.5	153	90	
	ARBU 262U (1)					1213W	9.6	143	167	
	"					1214W	11.3	151	131	
	"					1215W	11.3	159	115	
	RFAA 2165T					1231W	15.0	165	60	
	"					1232W	13.3	140	129	
	ARBU 262U (1)					1245W	13.1	155	102	
	ARHL 313T (1)		-1.6	-0.8	129	1252W	14.6	158	78	
	AJCM 1481S (1)		-0.7	+1.7	116	1392W	11.9	162	102	
	AJCM 2425T (1)					1428W	10.6	152	137	
	"					14212W	12.5	153	113	
	"					14213W	12.4	147	126	
	ATJC 04U (1)					1486W	12.4	151	116	
	AJCM 2425T (1)					1501W	11.7	142	144	
	"					1502W	12.1	150	123	
	"					1504W	10.8	145	149	
	"					1506W	12.9	141	132	
	ARHL 313T (1)		-1.6	-0.8	129	1511W	14.8	155	82	
	"		"	"	"	15112W	13.5	147	114	
	KKEF 2332T (1)					1541W	13.5	148	110	
	"					1542W	11.8	141	145	
	"					1543W	12.4	141	137	
	AJCM 2425T (1)					1503W	14.6	148	99	
	ARHL 313T (1)		-1.6	-0.8	129	1512W	12.2	151	120	
	AJCM 2425T (1)					1521W	14.6	147	101	
"					1523W	15.4	147	91		
"					1524W	15.4	147	91		
KKEF 2332T (1)					1552W	13.7	158	90		
"					1556W	13.7	148	111		
"					1562W	12.9	149	118		
"					1623W	13.8	150	104		

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		BACKFAT (MM) TO 90 KG	AGE DAYS		INDEX
		FAT (MM)	AGE (DAYS)	EBV INDEX	PIG IDENTIFICATION		TO 90 KG	TO 90 KG	
Ranchview Farms "B", Bentley 748-3802	12 month average				141 pigs	(14.0)	(160)		100
	RFAA 867U				885W	15.4	176		53
	RFAA 262U				16710W	12.0	171		101
	RFAA 2259T				1799W	11.8	162		119
	"				17912W	14.3	166		85
	"				17914W	12.6	171		94
	RFAA 5496S				20213W	13.7	150		123
	"				2363W	12.4	146		144
	"				23611W	15.6	145		112
	RFAA 2332T (1)				17214W	12.2	174		93
	RFAA 6999T				17313W	14.1	165		90
	RFAA 2259T				1798W	12.5	182		74
	"				17910W	12.7	168		99
	RFAA 6578T				19012W	13.7	167		90
	RFAA 29310U				2165W	11.8	151		142

12 MONTH AVERAGE		PROBE PERIOD					
REEDER ADDRESS TELEPHONE	# PROBED	BACKFAT (MM) (DAYS)	AGE DATE	PROBED	# B.F.	AVG. AGE	AVG.
<u>LANDRACE</u>							
uff, D. ort Saskatchewan 98-3101	91	14.6 148	September 1 - 15		2	12.5	149
cCarthy, K. indale 42-4531	22	13.0 138	"		2	12.9	133
ilne, B. onoka 83-6695	62	14.5 150	"		11	11.0	159
orinville Colony orinville 39-2118	37	14.5 152	"		11	12.1	152
akeena Farm entley 48-4252	29	15.0 165	"		16	13.1	177
<u>LACOMBE</u>							
wynne Vista Farms wynne 52-2998	154	14.8 171	"		12	14.5	162
<u>HAMPSHIRE</u>							
raat, J. oaldale 27-9757	26	14.5 148	"		2	13.9	145
orinville Colony orinville 39-2118	(Not Available)		"		4	11.2	156
apenhuyzen, C. tony Plain 63-4358	37	14.4 175	"		3	14.8	154
<u>DUROC</u>							
raat, J. oaldale 27-9757	(Not Available)		"		1	11.4	166

G I L T S

12 MONTH AVERAGE		PROBE PERIOD						
BREEDER ADDRESS & TELEPHONE	# PROBED	BACKFAT (MM)	(DAYS)	AGE DATE	PROBED	# B.F.	AVG. AGE	AVG.
<u>YORKSHIRE</u>								
Braat, J. Coaldale 327-9757	186	12.2	158	September 1 - 15		8	12.2	157
Gwynne Vista Farms Gwynne 352-2998	101	14.2	174	"		14	14.9	167
Matejka, G. Sylvan Lake 887-2656	231	14.2	173	"		39	12.7	180
McCarthy, J. Lindale 542-4531	50	16.8	152	"		5	18.9	138
Milne, B. Ponoka 783-6695	151	15.1	158	"		21	13.5	152
Morinville Colony Morinville 939-2118	(Not Available)			"		2	11.1	158
Neufeld Farms Ltd. Acme 546-3969	(Not Available)			"		1	13.8	134
Papenhuyzen, C. Stony Plain 963-4358	24	19.5	163	"		3	16.6	163
Roeske, M. Alcomdale 939-4938	178	16.4	159	"		25	14.5	156
Wakeena Farm Bentley 748-4252	50	15.3	165	"		7	14.4	162
Weber Farms Castor 882-2572	(Not Available)			"		7	16.8	161

12 MONTH AVERAGE		PROBE PERIOD						
REEDER ADDRESS	#	BACKFAT		AGE	PROBED	#	AVG.	AVG.
TELEPHONE	PROBED	(MM)	(DAYS)	DATE		B.F.	AGE	
<u>CROSSBRED</u>								
raat, J. oaldale 27-9757	54	14.1	151	September 1 - 15		14	15.1	145
wynne Vista Farms wynne 52-2998	113	15.1	168	"		19	13.5	160
ilne, B. onoka 83-6695	256	14.9	152	"		21	13.4	145
lds College lds 56-8393	459	15.7	161	"		22	16.4	152
anchview Test Barn entley 48-3802	97	15.0	166	"		72	13.5	170
anchview Farms "B" entley 48-3802	813	15.5	168	"		124	13.6	162
eber Farms Ltd. astor 82-2572	36	15.1	159	"		17	15.5	164



Alberta Swine Improvement Program

NOV 12 1987

#204, 7000 - 113 St. Edmonton Alberta T6H 5T6 phone: 427-5319

HOME TEST REPORT
September 16 - 30, 1987

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire to all other sires in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The sire's EBV index is also an across herd comparison of the sire's genetic worth which combines backfat and age into one figure. A 100 index is the average for each breed for Western Canada. The greater index value above 100, the greater the overall genetic worth. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are also available for dams and other regions of Canada from the Pork Industry Branch at the address listed on page 2.

How To Use This Report

How To Use This Report

BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

1. Determine what breeds or crossbreeds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by:

Lajos Hajdu
Senior Swine Technician
Alberta Agriculture, Pork Industry Branch
#204, 7000 - 113 Street
EDMONTON, Alberta
T6H 5T6
Phone: 427 - 5319

B O A R S

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS	
		FAT (MM)	AGE (DAYS)	EBV INDEX	INDEX			TO 90 KG	TO 90 KG INDEX
YORKSHIRE									
Agra Farms Ltd. Okotoks 938-7741	12 month average					97 pigs	(14.2)	(156)	100
	KKEF 2332T (1)					ARHL 230W	14.5	155	98
	"					" 231W	15.6	164	69
	"					" 232W	14.0	158	100
	RITR 505U					" 236W	15.2	163	75
	"					" 238W	12.1	154	130
	"					" 239W	17.1	149	76
	ARHL 827T					" 259W	13.3	142	135
	RITR 505U					" 265W	13.5	142	132
	"					" 266W	15.0	145	107
	"					" 268W	14.0	145	119
Bloomsbury Farms Bloomsbury 674-3307	12 month average					25 pigs	(15.8)	(159)	100
	WM 1007U					WM 2506W	16.9	172	74
	WM 804U					" 2602W	13.7	150	131
	"					" 2603W	12.8	154	136
	"					" 2605W	12.0	149	149
	"					" 2906W	11.5	137	168
	"					" 2908W	12.9	136	156
	"					" 2909W	12.4	147	148
	"					" 2910W	11.8	139	169
Brownlee, J. Airy Hill 68-2313	12 month average					61 pigs	(14.3)	(162)	100
	AHKP 0850S	+0.5	-6.2	114		AHKP 261W	12.6	172	103
	"	"	"	"		" 272W	15.8	174	75
	"	"	"	"		" 312W	18.1	157	75
	"	"	"	"		" 336W	18.7	152	76
Ringfield, B. Oakdale 45-3420	12 month average					65 pigs	(14.0)	(165)	100
	KKEF 1304S	-1.6	+1.3	124		AOGK 411W	13.2	183	84
	KKEF 3084T					" 471W	10.1	149	164
Five Lakes Farms Layrthorpe 86-4373	12 month average					181 pigs	(13.0)	(156)	100
	NPD 8714T (1)					JKAA 4906W	12.0	200	60
	KKEF 2332T (1)					" 5702W	16.2	192	31
	JKAA 5005U					" 5804W	14.2	188	54

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	IND
		FAT (MM)	AGE (DAYS)	EBV INDEX					
Five Lakes Farms (continued)	AMBW 514S (1)	-2.1	+7.0	110	JKAA	5901W	16.3	179	44
	RITR 964T				"	6701W	13.4	173	78
	"				"	6705W	15.4	163	71
	"				"	6706W	12.9	166	90
	"				"	6802W	11.4	171	98
	"				"	6803W	15.0	160	78
	JKAA 5005U				"	7301W	12.9	166	90
	RITR 964T				"	7601W	11.4	161	110
	"				"	7602W	15.8	158	73
Maschmeyer, D. Bruderheim 998-2845	12 month average				58 pigs		(14.0)	(149)	100
	HILL 54T	-0.3	-0.4	106	DOUG	93W	13.4	137	126
	"	"	"	"	"	95W	14.1	141	114
	"	"	"	"	"	96W	11.8	142	131
	"	"	"	"	"	97W	14.0	136	124
	"	"	"	"	"	98W	15.0	135	117
	"	"	"	"	"	99W	12.5	135	137
	"	"	"	"	"	093W	13.2	137	129
Maschmeyer, G. Bruderheim 998-2845	12 month average				33 pigs		(14.5)	(143)	100
	DOUG 132T	+1.0	-3.6	96	HILL	65W	14.5	155	84
	"	"	"	"	"	66W	15.0	153	84
	"	"	"	"	"	67W	16.3	165	58
Matejka, G. Sylvan Lake 887-2656	12 month average				200 pigs		(13.2)	(158)	100
	KKEF 532U				KKEF	722W	11.0	195	67
	"				"	726W	11.6	196	57
	RITR 33U				"	1041W	15.9	169	49
	"				"	1044W	13.4	166	85
	"				"	1046W	11.6	157	122
	KKEF 02180T				"	1070W	12.4	150	122
	"				"	1074W	13.8	153	100
	"				"	1079W	12.4	150	122
	DOUG 354T				"	1094W	10.9	155	134
	KKEF 02180T				"	1122W	11.8	164	108
	"				"	1127W	10.9	157	130
	"				"	1128W	11.6	156	124
	ANLG 505T (2)				"	1130W	10.4	146	156
	AMBW 166T (2)				"	1140W	11.4	156	126
	"				"	1144W	14.0	149	106
	"				"	1145W	11.5	153	129
	"				"	1146W	10.3	152	146
	"				"	1164W	12.2	148	130

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)					
Matejka, G. (continued)	JPVH 2117S (2)				KKEF 1182W	15.2	162	69
	ANLG 505T (2)				" 1196W	10.8	154	137
	"				" 1198W	11.9	159	115
	ACUT 124T	-0.8	-2.4	123	" 01201W	9.9	168	126
	"	"	"	"	" 1206W	11.3	165	113
	ANLG 505T (2)				" 1213W	11.3	153	132
	"				" 01210W	10.2	161	133
	ACUT 124T	-0.8	-2.4	123	" 1233W	14.4	151	96
	"	"	"	"	" 1244W	10.3	145	158
	AMBW 166T (2)				" 1263W	13.1	157	102
	ACUT 124T	-0.8	-2.4	123	" 1280W	13.2	151	111
	"	"	"	"	" 1283W	12.9	154	111
	"	"	"	"	" 1286W	12.7	156	111
	"	"	"	"	" 1288W	13.9	155	96
	"	"	"	"	" 1310W	13.5	159	94
	"	"	"	"	" 1312W	16.7	156	60
	"	"	"	"	" 1313W	12.5	156	112
	"	"	"	"	" 1324W	12.4	146	130
McCarthy, J. Windale 42-4531	12 month average				24 pigs	(14.9)	(146)	100
	AMBW 514S (1)	-2.1	+7.0	110	ASZT 105W	16.2	143	87
	"	"	"	"	" 106W	14.2	139	128
	"	"	"	"	" 107W	14.2	142	121
	"	"	"	"	" 108W	13.5	138	142
Reiter Farms Ltd. Iron Springs 38-4472	12 month average				116 pigs	(12.8)	(152)	100
	RITR 664T	-1.8	-4.5	149	RITR 700W	12.6	146	112
	"	"	"	"	" 709W	9.5	145	144
	"	"	"	"	" 713W	11.5	152	112
	"	"	"	"	" 715W	11.3	143	130
	RITR 526S				" 726W	13.2	141	116
	"				" 727W	14.8	150	84
	"				" 734W	10.3	154	120
	RITR 664T	-1.8	-4.5	149	" 744W	11.5	141	133
	KKEF 1053S	-2.6	-1.1	150	" 757W	11.0	151	119
	"	"	"	"	" 763W	12.7	143	116
	"	"	"	"	" 764W	7.9	150	149
	KKEF 440T	-1.6	-1.6	136	" 773W	11.1	133	149
	"	"	"	"	" 775W	12.1	142	125
	RITR 664T	-1.8	-4.5	149	" 794W	12.9	129	140
	"	"	"	"	" 803W	11.8	134	141
	RITR 526S				" 826W	15.5	141	93
	RITR 664T	-1.8	-4.5	149	" 865W	15.8	130	111
	RITR 526S				" 884W	13.4	133	128

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG		INDE
		FAT (MM)	AGE (DAYS)						
Rice, R. Ardrossan 998-2794	12 month average				29 pigs	(14.2)	(166)		100
	AHPZ 146T				AHPZ 65W	13.5	181		88
	AHPZ 118T				" 77W	13.5	170		102
	AHPZ 155U				" 95W	15.3	175		79
	"				" 98W	16.0	176		71
	"				" 102W	12.5	158		125
	"				" 104W	15.9	162		87
Roeske, M. Alcomdale 939-4938	12 month average				41 pigs	(15.4)	(148)		100
	IMP 24P (X)				ROSE 159W	13.3	154		112
Vandenberg, J. Camrose 672-6177	12 month average				52 pigs	(15.1)	(156)		100
	ASCG 46T				ASCG 141W	13.3	184		69
	ASCG 91T				" 162W	13.6	195		43
West, N. & T.J. Radway 736-3790	12 month average				31 pigs	(14.5)	(161)		100
	JKAA 421T	-0.8	-5.6	135	ATED 91W	11.3	177		108
<u>LANDRACE</u>									
Agra Farms Ltd. Okotoks 938-7741	12 month average				106 pigs	13.8)	(160)		100
	ARHL 552U				ARHL 216W	15.0	159		88
	"				" 217W	13.2	170		90
	"				" 224W	12.6	157		117
Lakeland College Vermilion 853-8597, Ext. 597	12 month average				88 pigs	(14.8)	(163)		100
	ARHL 313T (1)	-1.6	-0.8	129	ATAT 170W	15.4	170		84
	"	"	"	"	" 171W	11.9	168		120
	"	"	"	"	" 178W	14.2	160		109
	"	"	"	"	" 181W	13.7	163		110
	"	"	"	"	" 186W	13.7	160		114
	"	"	"	"	" 187W	16.4	167		79
	"	"	"	"	" 191W	16.5	152		98
	"	"	"	"	" 192W	14.7	166		97
	"	"	"	"	" 199W	13.8	145		133
Maschmeyer, G. Bruderheim 998-2845	12 month average				21 pigs	(13.8)	(139)		100
	HILL 15S	+1.4	+6.7	51	HILL 33W	14.5	136		99


BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)					
atejka, T. ylvan Lake 87-2656	12 month average				23 pigs	(14.6)	(157)	100
	EJD 1829N (2)	+0.7	+3.7	N/A	TONY 1150W	11.8	147	168
	"	"	"	"	" 1250W	12.7	148	151
McCarthy, K. indale 42-4531	12 month average				(Not Available)			
	AVON 417U (1)				KATH 27W	14.5	134	
	"				" 28W	16.3	135	
Feiter Farms Ltd. ron Springs 38-4472	12 month average				(Not Available)			
	TONY 615U				RITR 859W	11.5	128	
est, N. & T.J. adway 36-3790	12 month average				(Not Available)			
	MCMC 13T	-0.4	-2.1	115	LAST 13W	11.3	164	
	"	"	"	"	" 14W	12.6	165	
	"	"	"	"	" 15W	14.6	156	
	"	"	"	"	" 18W	10.2	165	
<u>LACOMBE</u>								
oomsbury Farms oomsbury 74-3307	12 month average				70 pigs	(16.6)	(144)	100
	BL 1008U				BL 2706W	13.8	158	108
	BL 1106U				" 2805W	13.2	138	145
	"				" 2806W	15.6	132	129
	"				" 2807W	13.0	140	144
	"				" 2809W	14.5	135	135
	BL 1603U				" 2908W	15.5	145	110
	"				" 2909W	15.9	142	110
	"				" 2910W	16.9	144	97
	"				" 2911W	15.9	147	103
	"				" 2912W	17.8	154	73
	BL 1402U				" 3006W	9.9	139	177
	"				" 3007W	15.0	145	115
	"				" 3008W	11.1	135	171
	"				" 3009W	10.1	138	177
ve Lakes Farms yerthorpe 6-4373	12 month average				123 pigs	(13.1)	(155)	100
	KR 1303S	-2.1	-0.8	149	JA 6008W	10.1	177	93
	"	"	"	"	" 6013W	12.3	187	59
	JA 5204U				" 6204W	15.2	179	45
	KR 1303U				" 6503W	12.9	182	61

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	
		FAT (MM)	AGE (DAYS)				TO 90 KG	INDE
Five Lakes Farms (continued)	JA 5507U				JA 7101W	12.0	168	90
	KR 1303S	-2.1	-0.8	149	" 7202W	16.6	166	52
	JA 2205U				" 7401W	11.2	159	111
<u>HAMPSHIRE</u>								
Bloomsbury Farms Bloomsbury 674-3307	12 month average				35 pigs	(14.1)	(165)	100
	WM 1609U				WM 2703W	10.6	156	144
	"				" 2705W	11.1	160	135
	WM 708U				" 2804W	14.3	152	109
	"				" 2806W	12.3	150	132
	"				" 2807W	13.7	140	126
	"				" 2808W	13.8	160	107
	"				" 2809W	13.5	154	116
Brownlee, J. Hairy Hill 768-2313	12 month average				38 pigs	(12.7)	(171)	100
	AOVX 32U				AHKP 209W	15.3	169	71
	"				" 211W	15.0	167	77
	"				" 283W	11.4	153	134
Five Lakes Farms Mayerthorpe 786-4373	12 month average				89 pigs	(12.1)	(164)	100
	AOJW 384T				JKAA 6906W	12.8	163	95
	"				" 7501W	12.3	159	103
	"				" 7506W	13.8	158	91
	"				" 8502W	13.1	141	115
<u>DUROC</u>								
Maschmeyer, G. Bruderheim 998-2845	12 month average				43 pigs	(14.0)	(148)	100
	HILL 123U				HILL 35W	11.6	150	120
	"				" 36W	14.9	151	87
	HILL 114U				" 53W	12.8	163	89
	"				" 54W	11.7	171	87
	"				" 55W	13.8	163	79
	HILL 123U				" 63W	13.0	149	107
Rice, R. Ardrossan 998-2794	12 month average				38 pigs	(14.6)	(174)	100
	AHPZ 153U				AHPZ 91W	16.8	192	55

BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		BACKFAT (MM) TO 90 KG	AGE DAYS	
		FAT (MM)	AGE (DAYS)	EBV INDEX	PIG IDENTIFICATION		TO 90 KG	INDEX
andenber, J. amrose 72-6177	12 month average				28 pigs	(14.5)	(149)	100
	ASCG 8U				ASCG 250W	14.3	163	73
	"				" 260W	14.2	180	39
	"				" 276W	17.8	149	53
	ASCG 91T	-0.3	+6.2	74	" 284W	14.3	171	56
	"	"	"	"	" 285W	16.1	173	29
	"	"	"	"	" 392W	12.1	144	144
	"	"	"	"	" 393W	13.8	152	103

CROSSBRED

oomsbury Farms oomsbury 74-3307	12 month average				(Not Available)			
	BL 1106U				8KJ 1307W	13.5	162	125
	"				" 1308W	10.9	161	145
	BL 1405U				" 1406W	14.6	145	141
	BL 505U				" 1510W	12.6	147	153
	BL 1806U				" 1608W	14.8	142	144
erewianka, C. askatenau 58-2498	12 month average				(Not Available)			
	KKEF 3211S				7134W	17.4	150	
	AREE 380T				10527W	13.8	162	
	"				10621W	15.9	151	
	AREE 281U				14706W	14.8	194	
anchview Test entley 8-3802	12 month average				859 pigs	(13.4)	(154)	100
	ATJG 04U (1)				1534W	13.2	164	83
	KKEF 2332T (1)				1571W	15.0	156	78
	"				1572W	13.1	150	111
	"				1573W	11.6	150	130
	"				1601W	13.6	162	82
	"				1602W	12.2	168	87
	"				1605W	11.7	153	122
	ARBU 262U (1)				1612W	12.9	144	126
	AZOM 333T (1)				1661W	11.6	143	143
	RFAA 3271T				1674W	15.6	143	97
	RFAA 2165T				1683W	13.1	149	114
	"				1685W	12.4	151	118
	KKEF 2332T (1)				1694W	10.0	153	142
st, N. & T.J. dway 6-3790	12 month average				21 pigs	(14.8)	(160)	100
	AREE 262U				432W	12.7	175	99



G I L T S

BREEDER ADDRESS & TELEPHONE	12 MONTH AVERAGE			THIS PROBE PERIOD		
	# PROBED	BACKFAT (MM)	AGE (DAYS)	# PROBED	AVG. BACKFAT	AVG. AGE
<u>YORKSHIRE</u>						
Agra Farms Ltd. Okotoks 938-7741	108	14.7	159	8	14.7	156
Bloomsbury Farms Bloomsbury 674-3397	34	16.9	164	6	15.9	144
Brownlee, J. Hairly Hill 768-2313	40	15.6	166	2	17.9	170
Eringfeld, B. Coaldale 327-3420	88	15.1	170	10	14.6	165
Five Lakes Farms Mayerthorpe 786-4373	132	14.4	169	10	14.1	182
Maschmeyer, D. Bruderheim 998-2845	40	15.4	152	4	14.9	144
Maschmeyer, G. Bruderheim 998-2845	23	14.5	148	5	18.3	163
Matejka, G. Sylvan Lake 887-2656	231	14.2	173	58	12.8	174
McCarthy, J. Lindale 542-4531	50	16.8	152	3	16.3	139
Reiter Farms Ltd. Iron Springs 738-4472	175	14.6	160	45	13.7	151

BREEDER ADDRESS & TELEPHONE	12 MONTH AVERAGE			THIS PROBE PERIOD		
	# PROBED	BACKFAT (MM)	AGE (DAYS)	# PROBED	AVG. BACKFAT	AVG AGE
Rice, R. Ardrossan 998-2794	27	15.8	168	9	14.8	174
Vandenberg, J. Camrose	26	15.0	166	7	15.7	170
West, N. & T.J. Radway 736-3790	22	15.3	171	6	15.7	158
<u>LANDRACE</u>						
Agra Farms Ltd. Okotoks 938-7741	150	13.8	165	5	13.1	175
Lakeland College Vermilion 853-8597, Ext. 597	122	15.8	165	12	15.6	167
Maschmeyer, G. Bruderheim 998-2845	(Not Available)			2	11.3	140
Matejka, T. Sylvan Lake 887-2656	34	15.5	170	3	13.1	165
McCarthy, K. Lindale 542-4531	22	13.0	138	5	14.9	134
West, N. & T.J. Radway 736-3790	(Not Available)			2	13.7	157
<u>LACOMBE</u>						
Bloomsbury Farms Bloomsbury 674-3307	74	17.0	151	13	14.6	143
Five Lakes Farms Mayerthorpe 786-4373	115	14.8	170	15	13.9	179

BREEDER ADDRESS & TELEPHONE	12 MONTH AVERAGE			THIS PROBE PERIOD		
	# PROBED	BACKFAT (MM)	AGE (DAYS)	# PROBED	AVG. BACKFAT	AVG. AGE
<u>HAMPSHIRE</u>						
Bloomsbury Farms Bloomsbury 674-3307	48	14.2	179	6	13.6	164
Brownlee, J. Hairy Hill 768-2313	44	13.2	181	2	14.4	173
Five Lakes Farms Mayerthorpe 786-4373	88	13.1	176	1	11.9	181
<u>DUROC</u>						
Maschmeyer, G. Bruderheim 998-2845	30	15.8	146	12	14.4	157
Rice, R. Ardrossan 998-2794	(Not Available)			2	15.8	179
Vandenberg, J. Camrose 672-6177	20	16.1	140	11	16.2	165
<u>CROSSBRED</u>						
Bloomsbury Farms Bloomsbury 674-3307	23	15.8	135	8	14.6	146
Derewlanka, C. Waskatenau 358-2498	166	17.0	183	10	15.9	180
Olds College Olds 556-8393	459	15.7	161	30	16.7	155
Ranchview Test Barn Bentley 748-3802	97	15.0	166	45	13.2	170

BREEDER ADDRESS & TELEPHONE	12 MONTH AVERAGE			THIS PROBE PERIOD		
	# PROBED	BACKFAT (MM)	AGE (DAYS)	# PROBED	AVG. BACKFAT	AVG. AGE
West, N. & T.J. Radway 736-3790	160	16.3	160	24	14.8	154

Alberta Swine Improvement Program

#204, 7000 - 113 St. Edmonton Alberta T6H 5T6 phone: 427-5319

HOME TEST REPORT

October 1 - 15, 1987

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire to all other sires in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The sire's EBV index is also an across herd comparison of the sire's genetic worth which combines backfat and age into one figure. A 100 index is the average for each breed for Western Canada. The greater index value above 100, the greater the overall genetic worth. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are also available for dams and other regions of Canada from the Pork Industry Branch at the address listed on page 2.

How To Use This Report

(See Reverse)



Agriculture
Canada

1/2 . . . Alberta
AGRICULTURE

How To Use This Report

BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

1. Determine what breeds or crossbreeds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by:

Lajos Hajdu
Senior Swine Technician
Alberta Agriculture, Pork Industry Branch
#204, 7000 - 113 Street
EDMONTON, Alberta
T6H 5T6
Phone: 427 - 5319

B O A R D S

BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG		INDEX
		FAT (MM)	AGE (DAYS)	EBV INDEX	PIG IDENTIFICATION				
YORKSHIRE									
aat, J. aldale 7-9757	12 month average ANZI 3863P ARBF 784T ARBF 22U	-2.0	+7.8	106	88 pigs ARBF 317W " 346W " 366W	(12.0) 11.6 12.9 12.3	(148) 145 141 138	100 109 104 115	
ve Lakes Farms erthorpe 6-4373	12 month average RITR 964T " " JKAA 5005U RITR 964T JKAA 5005U " RITR 964T " JKAA 5005U KKEF 1490T (1) JKAA 5005U RITR 964T AMBW 514S (1) "	-1.7	-8.8	127	198 pigs JKAA 6704W " 6801W " 6805W " 7303W " 7603W " 7703W " 7705W " 7902W " 7903W " 8307W " 8701W " 8905W " 9101W " 9303W " 9403W	(12.5) 15.5 12.3 13.5 13.0 12.5 13.7 13.0 16.6 14.5 13.5 10.7 14.4 14.6 12.9 13.8	(157) 182 182 168 188 166 160 169 175 162 163 152 162 156 140 156	100 83 69 74 53 88 82 78 29 71 81 127 72 77 118 86	
enne Vista Farms enne 2-2998	12 month average AOGK 741T				56 pigs GWYN 6804W	(13.1) 11.1	(169) 155	100 135	
obben, J. vie 4-2647	12 month average AREE 352S " " " "	+2.8	-2.9	60	49 pigs AREE 140W " 141W " 142W " 143W " 145W	(12.6) 14.7 13.9 12.3 12.0 13.5	(151) 172 159 175 172 180	100 37 70 57 65 35	
schmeyer, D. derheim 6-2845	12 month average HILL 55U " HILL 74U				57 pigs DOUG 101W " 102W " 112W	(14.2) 10.1 12.4 13.5	(148) 147 156 154	100 139 100 93	

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	IND
		FAT (MM)	AGE (DAYS)	INDEX	INDEX				
Maschmeyer, D. (continued)	DOUG 334T	-0.8	-2.9	126		DOUG 121W	12.3	142	129
	"	"	"	"		" 122W	13.5	144	115
	"	"	"	"		" 137W	14.8	149	93
	"	"	"	"		" 138W	17.0	147	77
	"	"	"	"		" 139W	14.3	152	92
Maschmeyer, G. Bruderheim 998-2845	12 month average					32 pigs	(14.9)	(145)	100
	DOUG 800T					HILL 82W	10.7	160	112
	"					" 86W	14.7	140	109
	"					" 87W	14.8	134	117
	"					" 88W	15.6	133	112
Matejka, G. Sylvan Lake 887-2656	12 month average					200 pigs	(13.2)	(158)	100
	JPVH 2117S (2)					KKEF 1182W	14.6	164	73
	"					" 01182W	13.7	167	80
	ANLG 505T (2)					" 1198W	11.7	163	111
	HILL 43U					" 1353W	12.9	153	112
	"					" 1354W	13.3	153	107
	"					" 1355W	9.0	153	160
	KKEF 02180T					" 1365W	11.9	162	110
	"					" 1366W	13.5	161	90
	ACUT 124T	-0.8	-2.4	123		" 1370W	12.5	154	116
	"	"	"	"		" 1372W	12.9	154	111
	KKEF 2701S	-1.5	-9.1	162		" 1400W	11.6	151	131
	"	"	"	"		" 1403W	12.6	158	108
	"	"	"	"		" 1405W	11.3	160	121
	KKEF 1543U					" 1426W	12.2	159	110
	RITR 774U					" 1430W	15.0	149	93
	"					" 1432W	11.6	162	113
	"					" 1433W	13.1	158	101
	"					" 1434W	11.6	155	125
	"					" 1435W	12.3	167	96
	KKEF 2872T					" 1441W	9.8	157	143
	"					" 1443W	13.8	151	103
	"					" 1445W	9.3	161	144
	"					" 1449W	10.6	164	123
	"					" 1452W	13.1	173	76
	KKEF 2482T					" 1470W	10.4	153	143
	KKEF 02180T					" 1484W	13.2	172	78
	"					" 1485W	9.7	165	132
	KKEF 2701S	-1.5	-9.1	162		" 1490W	11.3	159	123
	"	"	"	"		" 1491W	13.2	170	81
	"	"	"	"		" 1492W	14.4	157	87
	"	"	"	"		" 1494W	14.8	163	71

BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG		INDEX
		FAT (MM)	AGE (DAYS)						
tejka, G. ontinued)	KKEF 2701S	-1.5	-9.1	162	KKEF 1495W	12.6	162		101
	DOUG 354T				" 1500W	13.5	153		104
	"				" 1501W	12.0	150		129
	"				" 1502W	9.9	157		142
	KKEF 342U				" 1514W	12.1	160		110
	"				" 1515W	11.3	161		119
	"				" 1517W	12.2	154		119
	HILL 43U				" 1521W	10.6	154		139
	DOUG 354T				" 1561W	7.4	161		167
	"				" 1562W	9.6	156		148
	"				" 1567W	10.7	144		154
	KKEF 922U				" 1587W	11.5	146		141
	KKEF 922U				" 1590W	11.0	159		126
	"				" 1591W	12.6	152		117
	HILL 43U				" 1600W	11.4	148		139
	"				" 1601W	10.5	148		150
	"				" 1602W	11.9	149		131
	"				" 1604W	13.5	148		112
	"				" 1606W	13.0	153		111
	"				" 1607W	12.0	147		133
	ANZI 400P (2)	-3.1	-3.6	N/A	" 1620W	8.4	148		176
	"	"	"	"	" 1622W	11.3	155		130
ne, B. uoka 8-6695	12 month average				112 pigs	(13.9)	(148)		100
	KKEF 2332S (1)				MILN 327W	11.7	152		123
	"				" 328W	11.9	151		123
	"				" 329W	11.3	159		114
	MILN 489U				" 335W	10.1	156		138
	KKEF 2332S (1)				" 375W	11.7	138		155
	"				" 376W	13.3	142		122
	MILN 189U				" 385W	11.0	158		120
	KKEF 1490T (1)	-1.7	-8.8	164	" 404W	12.9	146		119
	"	"	"	"	" 405W	12.0	145		135
inville Colony inville -2118	12 month average				(Not Available)				
	JKAA 1061T				MCMC 102W	11.0	171		
	"				" 104W	12.9	154		
enhuyzen, C. ony Plain -4358	12 month average				23 pigs	(17.2)	(165)		100
	TVW 252U				ASUS 221W	14.8	146		162
	"				" 225W	16.1	159		123
	DASA 1052T				" 260W	17.2	151		123

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	IND
		FAT (MM)	AGE (DAYS)	EBV INDEX	PIG IDENTIFICATION			
Reiter Farms Ltd. Iron Springs 733-4472	12 month average				109 pigs	(12.4)	(151)	100
	RITR 526S				RITR 896W	10.3	145	133
	RITR 794U				" 925W	11.3	140	133
	"				" 926W	13.1	136	123
	"				" 927W	11.5	141	127
	"				" 928W	13.2	145	103
	RITR 664T	-1.8	-4.5	149	" 936W	12.0	134	137
	"	"	"	"	" 937W	14.3	136	109
	RITR 526S				" 945W	18.4	127	86
	"				" 946W	13.2	135	122
	"				" 947W	18.9	133	68
	"				" 948W	11.5	137	136
	"				" 949W	14.8	136	104
	KKEF 2332T (1)				" 965W	13.9	140	105
	"				" 966W	13.9	138	109
	"				" 967W	12.4	127	148
	"				" 973W	15.4	127	117
	"				" 974W	11.8	137	134
	KKEF 1053S	-2.6	+1.1	150	" 984W	13.2	138	117
	"	"	"	"	" 986W	12.4	133	134
	RITR 526S				" 1024W	15.2	136	101
	"				" 1025W	14.5	132	116
	"				" 1026W	18.0	136	73
Wakeena Farm Bentley 748-4252	12 month average				(Not Available)			
	RITR 512U				KEEN 150W	11.6	162	
	"				" 151W	12.1	140	
	"				" 173W	12.6	154	
	"				" 174W	13.7	153	
Weber Farms Ltd. Castor 882-2572	12 month average				(Not Available)			
	AWGF 134T				AWGF 246W	15.6	183	
	MILN 293S	-0.9	+5.4	95	" 267W	11.8	184	
	"	"	"	"	" 268W	14.4	185	
	"	"	"	"	" 269W	15.4	172	
	"	"	"	"	" 275W	13.7	176	
	AWGF 134T				" 294W	16.7	164	
	"				" 295W	14.3	154	
	"				" 296W	18.5	168	
	"				" 297W	15.6	164	
	"				" 298W	17.3	162	
	"				" 344W	16.4	153	
	"				" 372W	15.0	151	
	"				" 386W	17.7	155	
	"				" 387W	18.4	159	

BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS		INDEX
		FAT (MM)	AGE (DAYS)	EBV INDEX	EBV INDEX			TO 90 KG	TO 90 KG	
LANDRACE										
00 33 33 23 27 03 37 09 86 22 68 36 04 05 09 48 17 34 17 34 01 16 73	rett, R. & A. hoka 8-5192	12 month average ROYS 273U "				103 pigs ROYS 138W " 139W	(15.3) 12.9 13.0	(137) 135 133		100 124 129
	ff, B. Saskatchewan 8-3101	12 month average MCMC 8T	-1.2	-3.8	134	(Not Available) BKDF 30W				
	ff, D. Saskatchewan 8-3101	12 month average MCMC 8T " " " DUFF 544T " MCMC 8T " DUFF 544T " "	-1.2 " " " -1.2 " -1.2 " -1.2 " "	-3.8 " " " -5.8 " -3.8 " -5.8 " "	134 " " " 142 " 134 " 142 " "	57 pigs DUFF 181W " 210W " 220W " 221W " 240W " 241W " 260W " 261W " 270W " 271W " 291W	(14.6) 11.6 12.2 11.6 15.2 15.0 14.5 15.3 13.8 12.6 12.3 18.3	(149) 170 155 158 155 167 151 155 155 154 159 142		100 94 110 111 86 69 97 85 97 109 104 78
	chmeyer, G. derheim 8-2845	12 month average AODU 811U				21 pigs HILL 44W	(13.4) 7.3	(143) 140		100 175
	ne, B. hoka 8-6695	12 month average MILN 452U " " " " ARHL 313T (1) " " ARBU 262U (1) " " "				47 pigs MILN 343W " 345W " 365W " 366W " 367W " 393W " 394W " 395W " 413W " 415W " 416W " 417W	(13.5) 11.3 12.5 13.5 13.2 11.5 12.4 11.1 12.3 10.6 11.3 11.7 10.9	(148) 167 149 162 157 160 142 137 151 139 139 133 140		100 107 113 80 92 113 125 153 115 157 147 149 152
	inville Colony inville -2118	12 month average ARHL 522U "				36 pigs MCMC 313W " 314W	(13.1) 12.4 12.9	(146) 154 143		100 95 108

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	IND
		FAT (MM)	AGE (DAYS)	EBV INDEX					
Morinville Colony (continued)	MCMC 32U					" 321W	16.4	147	65
	"					" 325W	15.7	140	83
	"					" 327W	18.7	147	39
	"					" 328W	17.3	146	58
	MCMC 125U					" 331W	15.9	156	56
	"					" 332W	12.8	150	98
	"					" 335W	16.4	159	45
	"					" 338W	13.7	160	72
	ARHL 948S	-2.1	-0.6	137		" 342W	13.8	139	105
	"	"	"	"		" 346W	12.9	133	124

Reiter Farms Ltd. 12 month average
Iron Springs
738-4472

TONY 615U

(Not Available)

RITR 858W 11.1 148

Wakeena Farm 12 month average
Bentley
748-4252

DUFF 171U

(Not Available)

KEEN 190W 10.7 159
" 191W 11.3 152
" 192W 9.9 161
" 195W 9.8 170

LACOMBE

Five Lakes Farms 12 month average
Mayerthorpe
786-4373

JA 110T
JA 2205U
JA 5204U
"

109 pigs (12.4) (158) 100
JA 5604W 15.7 198 5
" 7403W 11.8 165 97
" 8202W 13.2 170 73
" 8204W 12.6 170 81

Gwynne Vista Farms 12 month average
Gwynne
352-2998

KR 8904S
"
"
JA 522S

-2.3 +2.4 142
" " "
" " "
-0.9 +4.4 104

97 pigs (13.3) (162) 100
KR 5801W 12.9 158 113
" 5802W 13.1 156 114
" 5803W 11.6 160 123
" 6002W 11.5 169 108

HAMPSHIRE

Braat, J. 12 month average
Coaldale
327-9757

ARBF 656T

(Not Available)

ARBF 295W 12.9 144

Five Lakes Farms 12 month average
Mayerthorpe
786-4373

AOJW 384T
"

82 pigs (11.7) (161) 100
JKAA 6902W 11.4 183 69
" 6904W 12.5 183 56

BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)	EBV INDEX					
ve Lakes Farms (continued)	AOJW 384T " JKAA 8103U AOJW 384T					JKAA 7502W " 8503W NP 8805W JKAA 9001W	11.8 13.8 14.4 15.0	169 165 165 161	86 69 63 62
enhuyzen, C. ony Plain -4358	12 month average ASUS 49S	+0.1	+14.7	50		21 pigs ASUS 244W	(13.5) 13.6	(172) 154	100 120
<u>DUROC</u>									
at, J. ldale -9757	12 month average ARBF 64T "	-0.9 "	-0.6 "	125 "		(Not Available) ARBF 356W " 358W	10.5 10.8	143 137	
chmeyer, G. derheim -2845	12 month average HILL 114U " " "					41 pigs HILL 060W " 74W " 87W " 88W	(13.8) 10.2 13.0 12.9 14.0	(148) 160 158 152 156	100 111 90 101 85
ne, B. oka -6695	12 month average ATJC 04U (1)					(Not Available) MILN 422W	15.0	144	
enhuyzen, C. ny Plain -4358	12 month average AIHO 54U					(Not Available) ASUS 284W	13.0	146	
<u>CROSSBRED</u>									
at, J. ldale -9757	12 month average ASDZ 541S ARRBF 784T ASDZ 541S " ARBF 656T " " ASDZ 541S	+0.9 +0.9 " -0.8 " " +0.9	-1.4 -1.4 " -7.3 " " -1.4	91 91 " 149 " " 91		85 pigs 278W 284W 310W 311W 321W 350W 351W 361W	(13.6) 11.5 9.5 12.9 15.0 10.4 12.4 11.7 11.8	(141) 147 155 142 148 142 139 142 139	100 108 109 105 73 128 116 116 121
ot, C. rlandia -4077	12 month average AMBW 514S (1) "	-2.1 "	+7.0 "	110 "		105 pigs 5760W 5762W	(14.1) 13.3 12.4	(167) 171 171	100 93 102

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	IN
		FAT (MM)	AGE (DAYS)					
Groot, C. (continued)	AMBW 514S (1)	-2.1	+7.0	110	5763W	13.5	171	91
	"	"	"	"	5780W	12.0	169	110
	"	"	"	"	5782W	12.0	169	110
	ARBU 262U (1)				5793W	11.6	167	117
	"				5794W	10.3	167	130
	4304				5800W	10.8	164	129
	"				5821W	10.3	163	136
	4770				5903W	12.3	153	131
	3991				5921W	10.7	150	152
	4770				5990W	12.3	142	149
Maschmeyer, G. Bruderheim 998-2845	12 month average				(Not Available)			
	AOUD 811U				8 GM 21W	15.5	133	
	"				" 25W	14.0	137	
Morinville Colony Morinville 939-2118	12 month average				48 pigs	(13.7)	(166)	100
	JR				201W	13.7	180	83
	"				203W	11.4	189	94
	"				204W	11.5	183	99
	POT				215W	13.3	184	81
	"				216W	13.7	184	77
	KKEF 2284T				230W	14.0	176	85
	"				232W	12.7	176	97
	GARY 10S	-1.4	+2.0	117	259W	10.4	184	108
	MCMC 28U				308W	12.2	165	115
	ARHL 522U				315W	12.8	151	127
Ranchview Test Barn Bentley 748-3802	12 month average				859 pigs	(13.4)	(154)	100
	RFAA 1791T				1641W	12.5	162	95
	AZOM 333T (1)				1651W	12.9	150	115
	KKEF 2332T (1)				1703W	13.4	166	76
	"				1707W	13.1	156	100
	"				1708W	16.4	157	60
	RFAA 1791T				1711W	14.6	161	72
	"				01711W	10.8	158	122
	RFAA 5711U				1723W	13.3	144	120
	"				1724W	12.9	139	135
	"				1727W	13.9	148	108
	"				1731W	14.0	153	96
	"				1735W	13.0	157	99
	"				1736W	13.3	152	106
	RFAA 3523T				1772W	12.0	150	125
	"				1773W	15.0	141	107

BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS		INDEX
		FAT (MM)	AGE (DAYS)				TO 90 KG	TO 90 KG	
anchview Test	ATJG 04U (1)				1781W	11.0	136		164
arn (continued)	RFAA 2165T				1792W	13.9	139		123
	"				1793W	12.9	158		98
	"				1794W	13.9	154		95
	"				1796W	14.4	142		114
	"				1797W	13.8	147		110
	RFAA 110S				1803W	15.5	145		94
	"				1805W	12.4	148		124
	ATJG 04U (1)				1842W	13.8	159		87
	"				1843W	12.4	140		140
	"				1855W	14.6	148		97
	"				18511W	12.9	141		132
	ARBU 262U (1)				1862W	10.5	147		149
	AOZM 333T (1)				1892W	12.9	144		126
	"				1895W	15.2	142		104
	KKEF 2332T (1)				1901W	14.5	138		120
	"				1902W	16.9	153		62
	AOUD 858T (1)				1911W	15.0	139		112
	"				1914W	14.2	133		132
anchview Farms "B" 12 month average					141 pigs	(14.0)	(160)		100
entley									
48-3802	ARBU 262U (1)				2011W	13.7	162		99
eiter Farms Ltd. 12 month average					37 pigs	(13.5)	(148)		100
ron Springs									
88-4472	AHKP 580T				8 CB 1031W	13.2	133		139
	"				" 1032W	12.7	130		151

G I L T S

BREEDER ADDRESS & TELEPHONE	12 MONTH AVERAGE			THIS PROBE PERIOD		
	# PROBED	BACKFAT (MM)	AGE (DAYS)	# PROBED	AVG. BACKFAT	AVG. AGE
<u>YORKSHIRE</u>						
Braat, J. Coaldale 327-9757	146	12.5	155	8	12.9	154
Five Lakes Farms Mayerthorpe 786-4373	162	14.0	171	21	14.3	178
Gwynne Vista Farms Gwynne 352-2998	133	14.0	173	15	15.1	162
Knobben, J. Jarvie 954-2647	45	13.3	159	2	15.3	175
Maschmeyer, D. Bruderheim 998-2845	46	15.3	151	9	14.7	153
Maschmeyer, G. Bruderheim 998-2845	27	14.8	153	8	15.7	143
Matejka, G. Sylvan Lake 887-2656	231	14.2	173	26	13.6	169
Milne, B. Bonoka 783-6695	151	15.1	158	11	12.9	152
Morinville Colony Morinville 939-2118	(Not Available)			3	14.0	167
Papenhuyzen, C. Stony Plain 963-4358	20	19.1	165	5	17.4	167

BREEDER ADDRESS & TELEPHONE	12 MONTH AVERAGE			THIS PROBE PERIOD		
	# PROBED	BACKFAT (MM)	AGE (DAYS)	# PROBED	AVG. BACKFAT	AVG. AGE
Reiter Farms Ltd. Iron Springs 738-4472	151	13.7	161	6	11.8	159
Wakeena Farm Bentley 748-4252	50	15.3	165	6	14.9	162
Weber Farms Ltd. Castor 882-2572	(Not Available)			10	17.0	166
<u>LANDRACE</u>						
Barrett, R. & A. Ponoka 783-5192	138	16.6	144	13	14.7	143
Duff, D. Ft Saskatchewan 998-3101	102	14.5	149	8	14.1	149
Maschmeyer, G. Bruderheim 998-2845	(Not Available)			1	12.3	148
Matejka, T. Sylvan Lake 887-2656	34	15.5	170	2	15.0	172
Milne, B. Ponoka 783-6695	62	14.5	150	6	12.3	146
Morinville Colony Morinville 939-2118	47	14.1	151	14	15.6	155
Reiter Farms Ltd. Iron Springs 738-4472	27	14.1	155	3	14.0	155
Wakeena Farm Bentley 748-4252	29	15.0	165	4	12.9	159

	12 MONTH AVERAGE			THIS PROBE PERIOD		
BREEDER ADDRESS & TELEPHONE	# PROBED	BACKFAT (MM)	AGE (DAYS)	# PROBED	AVG. BACKFAT	AVG. AGE
<u>LACOMBE</u>						
155 Five Lakes Farms Mayerthorpe 786-4373	101	13.9	171	8	13.9	189
167 Gwynne Vista Farms Gwynne 352-2998	133	14.5	171	7	13.4	163
<u>HAMPSHIRE</u>						
168 Braat, J. Coaldale 327-9757	(Not Available)			4	15.4	158
147 Five Lakes Farms Mayerthorpe 786-4373	78	12.8	174	7	14.0	170
<u>DUROC</u>						
149 Maschmeyer, G. Bruderheim 998-2845	32	15.5	150	11	14.3	159
170 Milne, B. Ponoka 783-6695	(Not Available)			1	14.7	137
146 Papenhuyzen, C. Stony Plain 963-4358	(Not Available)			1	18.1	145
<u>CROSSBRED</u>						
158 Baert, M. Barrhead 674-3953	83	16.1	151	9	16.2	148
158 Braat, J. Coaldale 327-9757	24	14.9	148	6	13.9	151

BREEDER ADDRESS & TELEPHONE	12 MONTH AVERAGE			THIS PROBE PERIOD		
	# PROBED	BACKFAT (MM)	AGE (DAYS)	# PROBED	AVG. BACKFAT	AVG AGE
Gwynne Vista Farms Gwynne 352-2998	117	14.5	165	28	14.1	164
Maschmeyer, G. Bruderheim 998-2845	(Not Available)			4	12.6	138
Milne, B. Ponoka 783-6695	256	14.9	152	2	13.4	161
Morinville Colony Morinville 939-2118	187	14.8	170	32	14.1	169
Old House Farms Neerlandia 674-5453	97	13.8	177	17	14.5	171
Ranchview Test Barn Bentley 748-3802	97	15.0	166	8	12.9	171
Ranchview Farms "B" Bentley 748-3802	813	15.5	168	15	14.8	163
Weber Farms Ltd. Castor 882-2572	36	15.1	159	6	16.1	148
Wierenga, C. Neerlandia 674-5904	69	14.7	169	33	14.4	166

Alberta Swine Improvement Program

NOV 23 1987

#204, 7000 - 113 St. Edmonton Alberta T6H 5T6 phone: 427-5319

HOME TEST REPORT
October 16 - 31, 1987

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire to all other sires in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The sire's EBV index is also an across herd comparison of the sire's genetic worth which combines backfat and age into one figure. A 100 index is the average for each breed for Western Canada. The greater index value above 100, the greater the overall genetic worth. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are also available for dams and other regions of Canada from the Pork Industry Branch at the address listed on page 2.

How To Use This Report

(See Reverse)

How To Use This Report

BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

1. Determine what breeds or crossbreds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by:

Lajos Hajdu
Senior Swine Technician
Alberta Agriculture, Pork Industry Branch
#204, 7000 - 113 Street
EDMONTON, Alberta
T6H 5T6
Phone: 427 - 5319

B O A R S

BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)	EBV	INDEX				
YORKSHIRE									
gra Farms Ltd.	12 month average					115 pigs	(13.4)	(154)	100
okotoks						ARHL 237W	15.4	167	56
38-7741	RITR 505U					" 281W	13.8	154	95
	"					" 284W	12.6	155	108
	"					" 285W	12.9	167	84
	"					" 319W	15.3	153	81
	"					" 320W	13.2	162	89
	"					" 322W	14.3	152	94
	"					" 323W	15.3	152	82
	"					" 324W	13.5	144	116
	"					" 325W	13.3	163	87
	"					" 326W	15.8	164	57
	"					" 327W	15.0	150	89
bloomsbury Farms	12 month average					46 pigs	(15.1)	(150)	100
bloomsbury						WM 3305W	14.2	153	106
74-3307	WM 1806U					" 3407W	13.7	137	129
	WM 1807U					" 3505W	13.2	135	137
	WM 1806U					" 3506W	12.2	145	135
	"					" 3507W	14.2	138	123
	"					" 3508W	13.7	147	118
	"					" 3511W	14.8	147	107
	WM 1807U					" 3705W	16.5	143	95
	"					" 3708W	12.8	135	141
	WM 804U	+0.9	-8.1	114		" 3806W	14.0	145	117
	"	"	"	"		" 3809W	12.4	142	136
Braat, J.	12 month average					88 pigs	(12.0)	(148)	100
Coaldale						ARBF 337W	10.6	150	112
27-9757	ARBF 784T	-2.0	+6.1	113		" 338W	11.9	164	71
	"	"	"	"		" 371W	10.1	153	111
	ANZI 3863P	-2.3	+8.6	108		" 403W	10.7	135	138
	ARBF 784T	-2.0	+6.1	113		" 404W	8.8	135	158
	"	"	"	"		" 405W	10.6	141	129
	"	"	"	"		" 427W	11.7	142	115

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	IND
		FAT (MM)	AGE (DAYS)					
Brownlee, J. Hairy Hill 768-2313	12 month average				60 pigs	(14.2)	(163)	100
	AHKP 0850S	+0.5	-2.4	101	AHKP 297W	13.3	182	87
	"	"	"	"	" 299W	15.9	177	70
	RITR 574U				" 306W	16.7	176	63
	"				" 320W	14.7	175	82
	KKEF 1930T	-0.7	-3.7	127	" 360W	16.1	141	107
	AHKP 0850S	+0.5	-2.4	101	" 373W	18.5	126	103
Carrich Stock Farm Ponoka 783-5181	12 month average				(Not Available)			
	DICK 191T				DICK 1329W	11.8	176	
Eringfield, B. Coaldale 345-3420	12 month average				52 pigs	(13.8)	(167)	100
	KKEF 3084T				AOKG 531W	15.5	156	96
	"				" 533W	19.1	158	53
Gwynne Vista Farms Gwynne 352-2998	12 month average				56 pigs	(13.1)	(169)	100
	NPD 8714T (1)	-0.4	+5.1	88	GWYN 6601W	15.2	162	95
	"	"	"	"	" 6603W	15.3	156	103
	"	"	"	"	" 6604W	13.3	169	99
	"	"	"	"	" 6701W	14.8	165	94
	"	"	"	"	" 6704W	14.7	164	96
	AOKG 741T	-2.2	-3.3	153	" 6901W	10.2	159	136
	"	"	"	"	" 6902W	13.2	155	119
	"	"	"	"	" 6903W	12.7	170	102
	"	"	"	"	" 7502W	15.4	166	88
	"	"	"	"	" 7902W	15.0	158	102
	"	"	"	"	" 7904W	14.2	160	104
	"	"	"	"	" 7905W	12.4	159	120
	RITR 924T (1)	-1.3	-11.2	166	" 8403W	11.5	142	150
	"	"	"	"	" 8404W	13.2	145	131
	"	"	"	"	" 8405W	11.8	144	141
	"	"	"	"	" 8406W	11.9	137	154
	"	"	"	"	" 8503W	13.0	144	136
	"	"	"	"	" 8505W	13.3	139	141
	"	"	"	"	" 8506W	13.4	136	144
McCarthy, J. Lindale 542-4531	12 month average				24 pigs	(14.1)	(143)	100
	AMBW 514S (1)	-2.0	+6.9	109	ASZT 109W	12.4	153	81
	"	"	"	"	" 122W	12.7	147	101
	"	"	"	"	" 123W	10.0	136	171
	"	"	"	"	" 124W	12.9	145	101

BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)	EBV INDEX					
ice, R. rdrossan 98-2794	12 month average					29 pigs	(14.2)	(166)	100
	AHPZ 155U					AHPZ 127W	11.7	162	128
	AHPZ 118T	0.0	+5.3	80	"	146W	15.0	155	104
	"	"	"	"	"	147W	14.5	155	109
	"	"	"	"	"	148W	15.7	159	93
andenberg, J. amrose 72-6177	12 month average					22 pigs	(14.2)	(163)	100
	ASCG 410U					ASCG 354W	13.8	153	126
	"					" 366W	16.2	164	73
	"					" 370W	14.5	145	134
	"					" 374W	11.8	152	151
	"					" 379W	13.1	154	132
	"					" 0379W	14.4	147	133
	"					" 460W	16.5	139	125
	"					" 463W	15.9	139	131
akeena Farm entley 48-4252	12 month average					(Not Available)			
	KKEF 2332T (1)	-1.8	-11.4	177	KEEN 244W		15.8	149	
	AMBW 514S (1)	-2.0	+6.9	109	" 254W		12.7	158	
est, N. & T.J. adway 36-3790	12 month average					31 pigs	(14.2)	(157)	100
	JKAA 421T	-0.8	-5.6	136	ATED 118W		12.7	135	137
	"	"	"	"	" 119W		11.9	136	143
<u>LANDRACE</u>									
gra Farms Ltd. kotoks 38-7741	12 month average					119 pigs	(13.4)	(157)	100
	ARHL 552U					ARHL 243W	9.9	191	88
	"					" 244W	10.3	184	92
	"					" 248W	11.7	195	64
	"					" 249W	14.0	169	77
	"					" 252W	11.9	181	81
	"					" 254W	12.2	184	75
	JBFA 2S (1)	-1.4	-8.7	156	" 292W		15.9	149	87
	"	"	"	"	" 294W		12.7	150	116
	"	"	"	"	" 295W		15.0	149	95
	ARHL 552U				" 310W		11.3	170	103
arrett, R. & A. onoka 83-5192	12 month average					105 pigs	(14.5)	(136)	100
	ROYS 61U	-1.9	-1.8	137	ROYS 150W		15.0	147	72
	"	"	"	"	" 151W		12.6	140	109

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	I
		FAT (MM)	AGE (DAYS)					
Barrett, R. & A. (continued)	ROYS 273U				" 170W	14.1	131	1
	"				" 171W	15.0	130	1
	"				" 172W	12.8	130	1
	"				" 173W	15.4	132	1
	"				" 175W	12.9	131	1
	"				" 182W	14.6	126	1
	ROYS 61U	-1.9	-1.8	137	" 206W	11.4	116	1
Duff, D. Ft Saskatchewan 998-3101	12 month average				57 pigs	(14.6)	(149)	1
	DUFF 544T	-0.6	-3.3	122	DUFF 292W	15.0	163	
	FLEV 351U				" 301W	11.0	155	1
	MCMC 8T	-1.5	-3.3	137	" 320W	15.6	158	
	"	"	"	"	" 330W	15.2	149	
	FLEV 351U				" 342W	15.9	147	
	"				" 351W	16.3	152	
Lakeland College Vermilion 853-8597, Ext. 597	12 month average				98 pigs	(14.6)	(160)	1
	TONY 2391T (1)				ATAT 207W	14.8	159	
	"				" 208W	11.5	167	1
	ARBU 262U (1)				" 213W	15.7	161	
	"				" 214W	15.2	153	1
	ARHL 313T (1)	-0.8	+3.7	98	" 216W	12.9	167	1
	"	"	"	"	" 217W	13.7	168	
	"	"	"	"	" 218W	12.8	165	1
	"	"	"	"	" 219W	13.8	161	1
	"	"	"	"	" 222W	13.0	163	1
	"	"	"	"	" 223W	13.1	148	1
	"	"	"	"	" 224W	13.0	156	1
<u>LACOMBE</u>								
Bloomsbury Farms Bloomsbury 674-3307	12 month average				70 pigs	(15.9)	(160)	
	BL 1008U				BL 2707W	12.5	164	
	BL 1603U				" 2913W	15.5	159	
	"				" 3205W	14.6	152	
	"				" 3206W	14.8	153	
	"				" 3305W	14.3	137	
	BL 505U				" 3306W	14.2	146	
	"				" 3307W	15.2	134	
	"				" 3308W	14.1	136	
	"				" 3309W	16.0	146	
Gwynne Vista Farms Gwynne 352-2998	12 month average				97 pigs	(13.3)	(162)	
	KR 6102U				KR 7301W	15.4	166	

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)	EBV INDEX					

HAMPSHIRE

Bloomsbury Farms	12 month average					49 pigs	(13.8)	(160)	100
Bloomsbury									
674-3307	WM 708U					WM 2805W	13.1	163	104
	"					" 3105W	11.7	156	124
	"					" 3106W	13.1	148	116
	"					" 3107W	10.3	156	138
	"					" 3108W	13.1	151	114
	"					" 3109W	14.0	161	97
Brownlee, J.	12 month average					29 pigs	(12.9)	(167)	100
Hairy Hill									
768-2313	AOVX 32U					AHKP 289W	12.9	167	101

DUROC

Braat, J.	12 month average					(Not Available)			
Coaldale									
327-9757	ARBF 64T	-1.1	-0.6	130		ARBF 357W	10.6	145	
	"	"	"	"		" 407W	12.5	145	
Rice, R.	12 month average					29 pigs	(15.2)	(176)	100
Ardrossan									
998-2794	AHPZ 113T	+0.5	-2.5	100		AHPZ 107W	13.5	179	112
	ATJG 04U (1)					" 137W	16.6	159	112
	"					" 140W	15.4	151	135
	"					" 141W	18.4	161	92

CROSSBRED

Bloomsbury Farms	12 month average					23 pigs	(15.5)	(135)	100
Bloomsbury									
674-3307	BL 505U					8 KJ 1506W	12.9	158	77
	"					" 1509W	15.5	158	61
	BL 1806U					" 1609W	12.4	150	94
Braat, J.	12 month average					85 pigs	(13.6)	(141)	100
Coaldale									
327-9757	ARBF 656T	-1.0	-7.1	155		352W	7.9	153	128
	"	"	"	"		376W	10.7	146	117
	ASDZ 541S	+0.9	-1.1	90		391W	10.3	143	126
	ARBF 656T	-1.0	-7.1	155		395W	11.8	140	119
	"	"	"	"		396W	12.6	138	115
	ARBF 784T	-2.0	+6.1	113		398W	12.9	137	115
	"	"	"	"		399W	10.3	141	131
	ANZI 3863P	-2.3	+8.6	108		424W	15.6	150	65
	"	"	"	"		425W	13.8	137	108

G I L T S

BREEDER ADDRESS & TELEPHONE	12 MONTH AVERAGE			THIS PROBE PERIOD		
	# PROBED	BACKFAT (MM)	AGE (DAYS)	# PROBED	AVG. BACKFAT	AVG. AGE
<u>YORKSHIRE</u>						
Agra Farms Ltd. Okotoks 938-7741	121	14.4	157	11	15.3	155
Bloomsbury Farms Bloomsbury 674-3307	48	17.4	160	18	16.4	145
Braat, J. Coaldale 327-9757	146	12.5	155	10	11.7	155
Brownlee, J. Hairy Hill 768-2313	39	15.4	167	3	16.4	170
Eringfeld, B. Coaldale 345-3420	56	15.0	173	2	15.0	163
Gwynne Vista Farms Gwynne 352-2998	133	14.0	173	16	13.6	170
McCarthy, J. Lindale 542-4531	37	16.3	146	2	13.9	152
Rice, R. Ardrossan 998-2794	29	14.9	169	10	14.6	166
Vandenberg, J. Camrose 672-6177	26	15.0	166	7	15.0	154
Wakeena Farm Bentley 748-4252	23	15.4	171	15	14.4	162

BREEDER ADDRESS & TELEPHONE	12 MONTH AVERAGE			THIS PROBE PERIOD	
	# PROBED	BACKFAT (MM)	AGE (DAYS)	# PROBED	AVG. BACKFAT
West, N. & T.J. Radway 736-3790	23	14.3	160	4	14.7
<u>LANDRACE</u>					
Agra Farms Ltd. Okotoks 938-7741	150	13.6	160	16	13.7
Barrett, R. & A. Ponoka 783-5192	137	15.9	143	7	13.7
Duff, B. Ft Saskatchewan 998-3101	20	15.9	149	7	14.8
Duff, D. Ft Saskatchewan 998-3101	102	14.5	149	23	13.8
Lakeland College Vermilion 853-8597,Ext.597	143	15.5	166	13	14.9
Wakeena Farm Bentley 748-4252	23	14.8	167	1	11.7
West, N. & T.J. Radway 736-3790	(Not Available)			4	14.7
<u>LACOMBE</u>					
Bloomsbury Farms Bloomsbury 674-3307	70	16.7	148	5	16.1
Gwynne Vista Farms Gwynne 352-2998	133	14.5	171	8	14.6

BREEDER ADDRESS & TELEPHONE	12 MONTH AVERAGE			THIS PROBE PERIOD		
	# PROBED	BACKFAT (MM)	AGE (DAYS)	# PROBED	AVG. BACKFAT	AVG. AGE
<u>HAMPSHIRE</u>						
Bloomsbury Farms Bloomsbury 674-3307	51	14.0	178	4	13.7	158
Braat, J. Coaldale 327-9757	(Not Available)			2	12.6	175
Brownlee, J. Hairy Hill 768-2313	35	13.2	177	3	12.4	195
Rice, R. Ardrossan 998-2794	(Not Available)			2	14.4	175
<u>DUROC</u>						
Braat, J. Coaldale 327-9757	(Not Available)			5	15.6	151
<u>CROSSBRED</u>						
Bloomsbury Farms Bloomsbury 674-3307	37	16.2	134	8	15.1	158
Braat, J. Coaldale 327-9757	24	14.9	148	20	13.9	151
Carrich Stock Farm Ponoka 783-5181	66	14.0	180	15	14.2	183
Gwynne Vista Farms Gwynne 352-2998	117	14.5	165	9	15.5	161
Olds College Olds 556-8393	459	15.7	161	47	16.1	153

BREEDER ADDRESS & TELEPHONE	12 MONTH AVERAGE		THIS PROBE PERIOD		
	# PROBED	BACKFAT (MM)	AGE (DAYS)	# PROBED	AVG. BACKFAT
Ranchview Test Barn Bentley 748-3802	97	15.0	166	12	13.0
Ranchview Farms "B" Bentley 748-3802	728	15.2	167	32	13.5
Rice, R. Ardrossan 998-2794	(Not Available)			2	13.6
Wakeena Farm Bentley 748-4252	(Not Available)			4	12.4
West, N. & T.J. Radway 736-3790	191	15.5	158	24	14.3

Alberta Swine Improvement Program

#204, 7000 - 113 St. Edmonton Alberta T6H 5T6 phone: 427-5319

HOME TEST REPORT
November 1 - 15, 1987

NOV 25 1987

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire to all other sires in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The sire's EBV index is also an across herd comparison of the sire's genetic worth which combines backfat and age into one figure. A 100 index is the average for each breed for Western Canada. The greater index value above 100, the greater the overall genetic worth. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are also available for dams and other regions of Canada from the Pork Industry Branch at the address listed on page 2.

How To Use This Report

(See Reverse)

How To Use This Report

BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

1. Determine what breeds or crossbreeds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by:

Lajos Hajdu
Senior Swine Technician
Alberta Agriculture, Pork Industry Branch
#204, 7000 - 113 Street
EDMONTON, Alberta
T6H 5T6
Phone: 427 - 5319

B O A R S

FEEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)	EBV	INDEX				
YORKSHIRE									
oomsbury Farms	12 month average					46 pigs	(15.1)	(151)	100
oomsbury									
4-3307	WM 1806U					WM 3307W	10.9	157	134
	"					" 3509W	12.9	163	107
	WM 804U	+0.9	-8.1	114		" 3807W	17.9	166	55
	"	"	"	"		" 3808W	16.5	161	74
	"	"	"	"		" 4004W	12.0	145	137
	"	"	"	"		" 4005W	14.0	139	124
	"	"	"	"		" 4006W	12.5	152	124
	"	"	"	"		" 4505W	19.4	143	66
	"	"	"	"		" 4507W	14.2	146	114
	"	"	"	"		" 4606W	15.3	142	108
ve Lakes Farms	12 month average					198 pigs	(12.5)	(158)	100
erthorpe									
6-4373	JKAA 5005U					JKAA 8306W	11.6	167	97
	"					" 8903W	12.0	163	98
	"					" 9201W	13.8	181	53
	"					" 9203W	12.3	169	86
	"					" 9204W	12.9	174	73
	"					" 9205W	13.8	181	53
	"					" 9206W	11.4	181	81
	"					" 9207W	15.2	174	47
	AMBW 514S (1)	-2.0	+6.9	109		" 9501W	13.1	168	79
	"	"	"	"		" 9502W	13.4	159	87
	"	"	"	"		" 9503W	12.4	155	104
	KKEF 2332T (1)	-1.8	-11.4	177		" 9902W	12.4	162	95
	"	"	"	"		" 9903W	12.9	162	89
	AOET 1395S	-0.6	-0.5	114		" 10301W	14.6	163	68
	"	"	"	"		" 10302W	12.9	159	93
	"	"	"	"		" 10305W	14.2	164	71
	NPD 8714T	-0.4	+5.1	88		" 11104W	18.4	154	37
	RITR 924T (1)	-1.3	-11.2	166		" 12101W	15.6	140	88
obben, G.	12 month average					34 pigs	(12.5)	(158)	100
rvie									
4-2125	GARY 42S	+1.8	-4.8	87		GARY 102W	11.6	193	48

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	IND
		FAT (MM)	AGE (DAYS)					
Knobben, J. Jarvie 954-2647	12 month average				46 pigs	(12.5)	(152)	100
	GARY 42S	+1.8	-4.8	87	AREE 153W	13.4	161	93
	"	"	"	"	" 154W	13.4	161	93
	"	"	"	"	" 155W	11.6	163	87
	"	"	"	"	" 156W	12.0	170	69
	AREE 317U				" 173W	11.0	147	125
	"				" 174W	12.1	147	113
Maschmeyer, D. Bruderheim 998-2845	12 month average				57 pigs	(14.2)	(148)	100
	HILL 54T	+0.5	+0.9	87	DOUG 142W	14.6	150	92
	"	"	"	"	" 143W	15.0	150	88
	"	"	"	"	" 144W	16.2	157	64
	HILL 55U				" 152W	12.7	152	107
	"				" 153W	12.9	145	119
	"				" 154W	12.9	145	119
	DOUG 132T	+1.5	-3.6	87	" 163W	14.3	149	98
	"	"	"	"	" 164W	16.0	150	80
	HILL 55U				" 173W	14.1	150	97
	"				" 174W	13.8	140	122
	"				" 175W	12.9	145	119
	HILL 54T	+0.5	+0.9	87	" 184W	16.5	148	79
	"	"	"	"	" 185W	16.7	139	97
Maschmeyer, G. Bruderheim 998-2845	12 month average				32 pigs	(14.9)	(145)	100
	DOUG 132T	+1.5	-3.6	87	HILL 94W	14.1	151	97
	"	"	"	"	" 99W	13.7	151	100
	HILL 55U				" 105W	12.1	153	110
	DOUG 800T				" 114W	12.9	148	113
	"				" 115W	13.3	155	98
	DOUG 132T	+1.5	-3.6	87	" 124W	13.9	140	115
	"	"	"	"	" 125W	12.3	139	130
	"	"	"	"	" 126W	14.4	145	105
	"	"	"	"	" 128W	13.6	149	105
	"	"	"	"	" 129W	14.7	141	107
	"	"	"	"	" 127W	11.8	140	131
	DOUG 800T				" 133W	14.8	137	111
Matejka, G. Sylvan Lake 887-2656	12 month average				239 pigs	(13.0)	(162)	100
	KKEF 2701S	-1.3	-8.4	155	KKEF 1405W	10.4	166	120
	KKEF 1543U				" 1427W	11.4	174	90
	KKEF 2701S	-1.3	-8.4	155	" 1497W	12.5	176	87
	RITR 774U				" 1554W	11.5	168	108

BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)					
Tejka, C. (continued)	RITR 774U				KKEF 1556W	11.8	167	106
	"				" 1557W	10.6	164	127
	ANZI 400P (2)	-3.1	-3.6	N/A	" 1574W	11.1	161	126
	"	"	"	"	" 1576W	9.9	162	141
	"	"	"	"	" 1578W	9.1	172	131
	KKEF 922U				" 1590W	10.6	161	134
	KKEF 2193S	-1.2	-5.9	145	" 1612W	14.1	159	92
	"	"	"	"	" 1614W	12.6	163	104
	"	"	"	"	" 1618W	12.3	167	100
	RITR 774U				" 1705W	12.9	153	119
Line, B. Hoka 8-6695	12 month average				105 pigs	(13.1)	(149)	100
	KKEF 1490T (1)	-1.1	-12.6	169	MILN 424W	13.2	155	86
	"	"	"	"	" 433W	10.9	150	126
	"	"	"	"	" 460W	11.1	140	146
	"	"	"	"	" 461W	12.2	140	131
	"	"	"	"	" 462W	12.0	153	106
	"	"	"	"	" 473W	11.1	133	162
	"	"	"	"	" 474W	10.5	135	164
Hiter Farms Ltd. on Springs 8-4472	12 month average				109 pigs	(12.4)	(151)	100
	RITR 526S				RITR 1015W	16.2	138	87
	"				" 1016W	15.4	137	97
	KKEF 1053S	-2.1	-0.7	141	" 1053W	10.3	135	153
	"	"	"	"	" 1054W	11.1	143	127
	"	"	"	"	" 1055W	12.0	135	135
	"	"	"	"	" 1056W	9.5	146	138
	12 month average				29 pigs	(14.2)	(166)	100
ce, R. drossan 8-2794	NPD 8714T (1)	-0.4	+5.1	88	AHPZ 152W	13.4	158	116
	"	"	"	"	" 153W	14.0	159	109
	"	"	"	"	" 155W	20.0	162	48
	"	"	"	"	" 156W	15.2	169	86
	"	"	"	"	" 157W	15.1	155	103
	"	"	"	"	" 159W	13.5	159	113
	"	"	"	"	" 161W	11.5	176	114
	12 month average				35 pigs	(15.0)	(147)	100
eske, M. comdale 9-4939	AMBW 514S (1)	-2.0	+6.9	109	ROSE 251W	10.9	156	122
	NPD 8714T (1)	-0.4	+5.1	88	" 253W	14.2	142	120
	"	"	"	"	" 254W	12.6	145	131
	KKEF 2332T (1)	-1.8	-11.4	177	" 266W	13.4	151	108

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	IN
		FAT (MM)	AGE (DAYS)					
Roeske, M. (continued)	NPD 8714T (1)	-0.4	+5.1	88	ROSE 274W	13.1	147	122
	"	"	"	"	" 276W	15.4	151	87
	RITR 924T (1)	-1.3	-11.2	166	" 282W	11.4	145	141
	"	"	"	"	" 287W	13.0	134	159
	"	"	"	"	" 288W	13.3	141	134
Turko, D. Newbrook 576-2315	12 month average				20 pigs	(14.5)	(151)	100
	GARY 315T	+1.1	-5.3	101	DANY 131W	16.9	156	62
<u>LANDRACE</u>								
Knobben, J. Jarvie 954-2647	12 month average				(Not Available)			
	AREE 361U				AREE 160W	14.6	143	
	"				" 161W	15.0	146	
Maschmeyer, G. Bruderheim 998-2845	12 month average				21 pigs	(13.4)	(143)	100
	HILL 15S	+1.7	+6.9	46	HILL 55W	12.4	141	11
	"	"	"	"	" 68W	15.8	145	6
Matejka, T. Sylvan Lake 887-2656	12 month average				26 pigs	(13.9)	(161)	100
	TONY 1800U				TONY 1530W	12.4	176	9
	"				" 1532W	10.5	182	10
	AVON 417U (1)				" 1740W	12.5	154	12
	"				" 1744W	8.7	161	16
Milne, B. Ponoka 783-6695	12 month average				44 pigs	(13.1)	(150)	100
	AVON 417U (1)				MILN 478W	12.3	140	12
	"				" 479W	12.4	144	12
	"				" 480W	12.1	146	12
	"				" 487W	11.0	140	14
<u>LACOMBE</u>								
Bloomsbury Farms Bloomsbury 674-3307	12 month average				70 pigs	(15.9)	(142)	100
	BL 1508U				BL 3407W	13.4	144	11
	"				" 3410W	14.3	141	11
	"				" 3411W	14.5	142	11
	"				" 3412W	19.0	145	7
	"				" 3413W	16.5	139	9
	BL 1106U				" 3505W	12.9	134	13

BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)					
122 87 143 155 134 e Lakes Farms erthorpe -4373	BL 1508U " "				BL 3607W " 3608W " 3702W	14.4 11.7 13.4	136 136 132	120 142 133
	12 month average				109 pigs	(12.4)	(158)	100
	NE 36U (1) KR 1303S	-2.1	-1.5	151	JA 9602W " 10803W	13.2 12.0	171 147	72 119
HAMPSHIRE								
omsbury Farms omsbury -3307	12 month average WM 8304T " " " " " " WM 1606U WM 906U " WM 8304T	-0.1 " " " " " " " -0.1	-6.2 " " " " " " " -6.2	124 " " " " " " " 124	WM 3901W " 3907W " 3908W " 3909W " 3910W " 4204W " 4308W " 4406W " 4408W " 4711W	13.0 11.4 11.8 12.3 11.9 13.6 13.6 12.5 14.6 14.2	148 140 147 135 145 145 153 150 152 140	117 140 130 135 131 114 126 121 98 112
e Lakes Farms erthorpe -4373	12 month average JKAA 8103U " AOZM 333T " " " " AOJW 384T JKAA 8103U AJCM 2425T " JKAA 8106U AOZM 333T (1) AOJW 384T "	+0.5 " " " " " " +0.5 +0.9 " " +0.5 +0.9 "	+0.3 " " " " " " +0.3 +2.3 " " +0.3 +2.3 "	81 " " " " " " 81 62 " " 81 62 "	JKAA 7801W " 7803W " 8402W " 8404W " 8405W " 8406W " 8501W NP 8803W JKAA 9402W " 9404W YAP 9702W " 9802W JKAA 10601W " 10607W	12.8 11.8 14.3 15.4 14.4 13.9 13.7 13.8 13.9 14.3 13.8 14.2 14.1 14.6	182 192 180 183 192 181 186 188 171 170 169 164 155 155	54 50 40 23 21 43 38 34 59 56 63 66 82 76
enhuyzen, C. ony Plain -4358	12 month average ASUS 49S "	+0.4 "	+11.1 "	53 "	ASUS 243W " 272W	14.7 13.9	168 166	86 100

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	IND
		FAT (MM)	AGE (DAYS)					
Rice, R. Ardrossan 998-2794	12 month average				21 pigs	(13.8)	(166)	100
	AOZM 333T (1)	+0.5	+0.3	81	AHPZ 171W	13.9	159	109
	"	"	"	"	" 173W	12.4	168	113
	"	"	"	"	" 174W	12.7	157	125
<u>DUROC</u>								
Maschmeyer, G. Bruderheim 998-2845	12 month average				41 pigs	(13.8)	(148)	100
	AOUD 1512R	-0.4	+8.3	66	HILL 94W	14.9	141	102
	"	"	"	"	" 95W	12.9	155	96
	"	"	"	"	" 96W	15.5	142	96
	"	"	"	"	" 103W	13.3	142	113
	"	"	"	"	" 104W	13.7	145	106
	"	"	"	"	" 105W	12.7	139	125
	"	"	"	"	" 106W	13.9	141	110
	"	"	"	"	" 0105W	17.3	148	69
	"	"	"	"	" 116W	14.0	138	115
	"	"	"	"	" 117W	13.3	150	101
	"	"	"	"	" 118W	13.5	138	119
	"	"	"	"	" 119W	15.6	160	61
	"	"	"	"	" 122W	13.3	141	115
	"	"	"	"	" 123W	13.8	150	96
	"	"	"	"	" 124W	16.7	157	59
	"	"	"	"	" 125W	13.7	146	104
	"	"	"	"	" 126W	10.7	150	121
	"	"	"	"	" 127W	15.0	160	68
	"	"	"	"	" 132W	13.8	144	100
	"	"	"	"	" 133W	15.2	136	108
	"	"	"	"	" 134W	14.8	142	103
Milne, B. Ponoka 783-6695	12 month average				(Not Available)			
	ATJC 04U (1)				MILN 443W	11.9	151	
	"				" 444W	12.1	145	
Neufeld Farms Ltd. Acme 546-3969	12 month average				29 pigs	(13.4)	(169)	100
	NEUF 180T	-1.5	-7.2	177	NEUF 80W	10.7	179	12
	ATJG 04U (1)				" 86W	14.6	155	10
	"				" 87W	12.4	165	12
	"				" 90W	12.9	162	11
	"				" 93W	14.6	153	10
	NEUF 180T	-1.5	-7.2	177	" 99W	12.3	162	12
	"	"	"	"	" 102W	15.0	165	8
	"	"	"	"	" 103W	15.2	160	9
	ATJG 04U (1)				" 111W	14.3	161	10

OWNER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS		INDEX
		FAT (MM)	AGE (DAYS)				TO 90 KG	TO 90 KG	
penhuyzen, C.	12 month average				(Not Available)				
ony Plain									
3-4358	AIHO 54U				ASUS 281W	15.0	172		
	"				" 288W	15.0	175		
ce, R.	12 month average				29 pigs	(15.2)	(176)		100
rossan									
3-2794	AHPZ 153U				AHPZ 120W	15.4	208		49
	"				" 123W	14.3	194		81
<u>CROSSBRED</u>									
ert, M.	12 month average				(Not Available)				
thead									
3-3953	ARBU 262U (1)				22W	12.7	156		
	"				23W	11.5	146		
	"				24W	11.5	141		
	AJCM 2425T (1)				302W	15.5	130		
	"				303W	12.8	130		
	"				305W	16.3	134		
omsbury Farms	12 month average				23 pigs	(15.5)	(135)		100
omsbury									
4-3307	BL 1106U	-1.2	-4.3	141	8KJ 1805W	14.8	140		96
	"	"	"	"	" 1806W	15.0	141		93
	"	"	"	"	" 1807W	15.4	148		79
ot, C.	12 month average				70 pigs	(13.7)	(164)		100
erlandia									
4-4077	3991				6001W	11.6	173		107
	"				6003W	11.1	162		128
	3083				6010W	11.0	155		141
	"				6011W	11.6	159		128
	"				6012W	12.6	171		100
	"				6013W	11.2	153		141
	"				6014W	10.7	150		153
	"				6015W	13.3	150		126
	4775				6032W	9.4	148		169
	"				6033W	13.3	148		129
	"				6034W	15.7	164		79
	"				6035W	11.2	151		144
	3083				6092W	13.3	151		124

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	IN	
		FAT (MM)	AGE (DAYS)						
Neufeld Farms Ltd. 12 month average						50 pigs	(14.3)	(160)	1
Acme									
546-3969	2U				106W	15.2	165		
	"				108W	15.3	160		
	"				109W	15.7	159		
	ATJG 04U (1)				115W	10.1	152	1	
	"				116W	14.4	165		
	"				117W	10.7	158	1	
	01				13319W	14.1	172		
	332				13915W	11.4	169	1	
	"				13917W	13.7	176		
	"				13918W	11.4	169	1	
	"				13923W	13.3	167	1	
	"				14313W	13.5	165	1	
	"				14316W	14.6	163		
	"				14320W	13.3	163	1	
	"				14321W	14.7	175		
	"				14322W	12.7	175		
	AMBW 514S (1)	-2.0	+6.9	109	15811W	12.9	156	1	
	"	"	"	"	15812W	10.6	164	1	
	332				1604W	15.6	177		
	"				1609W	15.7	164		
	270				16110W	13.1	152	1	
	NPD 8714T (1)	-0.4	+5.1	88	1623W	15.4	172		
	"	"	"	"	1625W	12.8	158	1	
	"	"	"	"	1627W	13.6	172		
	1				1642W	11.9	154	1	
	"				1648W	13.7	167		
	"				16414W	16.3	143	1	
	NPD 8714T (1)	-0.4	+5.1	88	1801W	17.4	145		
Ranchview Test Barn 12 month average						598 pigs	(13.5)	(157)	1
Bentley									
748-3802	KKEF 2332T (1)	-1.8	-11.4	177	1705W	11.0	168	1	
	ATJG 04U (1)				1783W	10.8	167	1	
	KKEF 2332T (1)	-1.8	-11.4	177	1961W	13.6	169		
	ATJG 04U (1)				2032W	12.2	170		
	"				2045W	12.4	163	1	
	KTDA 262T (1)				2054W	12.9	166		
	ATJG 04U (1)				2074W	14.3	163		
	"				2076W	13.9	164		
	AJCM 2425T (1)				2083W	13.7	156		
	RFAA 3523T				2092W	12.6	155	1	
	"				2094W	11.4	157	1	
	ASOV 932T (1)				2111W	11.8	161	1	
	"				2123W	10.9	156	1	

BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)					
anchview Test arn (cont)	ASOV 932T (1)				2124W	10.2	144	163
	"				2125W	13.5	153	107
	RFAA 3523T				2171W	9.4	148	165
	"				2174W	11.3	147	145
	"				2176W	12.6	141	141
	"				21712W	12.9	152	116
	YRZN 575T (1)	-1.9	+3.8	119	2184W	13.2	160	97
	RFAA 2165T				2196W	13.3	154	108
	ATGJ 04U (1)				2221W	12.5	161	102
	RFAA 5711U				2231W	13.1	153	112
	"				2233W	11.6	154	127
	"				2235W	9.9	153	149
	KKEF 2332T (1)	-1.8	-11.4	177	2241W	16.6	164	49
	"	"	"	"	2242W	14.3	148	107
	"	"	"	"	2243W	14.5	146	108
	AMBW 514S (1)	-2.0	+6.9	109	2291W	12.3	152	123
	"	"	"	"	2294W	12.2	155	118
	"	"	"	"	2334W	12.2	153	123
	ATJG 04U (1)				2342W	14.0	146	116
	"				2344W	11.4	136	166
	"				2361W	12.9	149	123
	KTDA 262T (1)				2362W	13.2	138	140
	"				2364W	14.8	139	119
	RFAA 3522T				2061W	11.6	171	92
	AJCM 2425T (1)				2083W	11.8	154	125
	ASOV 932T (1)				2126W	12.3	155	116
	"				2127W	13.7	169	73
	"				2128W	12.5	148	127
	RFAA 3523T				2175W	13.1	157	103
	AMBW 514S (1)	-2.0	+6.9	109	2213W	13.4	153	107
	KKEF 2332T (1)				2244W	13.5	153	106
	AJCM 2425T (1)	-1.8	-11.4	177	2271W	13.3	143	129
	RFAA 3532T				2301W	14.0	155	98
	"				2302W	13.9	158	92
	"				2303W	11.4	151	136
	"				2304W	11.8	158	117
	ARBU 262U (1)				2312W	11.6	149	136
	"				2314W	10.1	149	156
	"				2315W	12.2	150	127
Rice, R.	12 month average				(Not Available)			
ardrossan	AOJW 372T				8 AM 165W	14.3	171	
998-2794	"				" 180W	18.9	146	

G I L T S

BREEDER ADDRESS & TELEPHONE	12 MONTH AVERAGE			THIS PROBE PERIOD		
	# PROBED	BACKFAT (MM)	AGE (DAYS)	# PROBED	AVG. BACKFAT	AVG. AGE
<u>YORKSHIRE</u>						
Baert, M. Barrhead 574-3953	(Not Available)			1	13.3	123
Bloomsbury Farms Bloomsbury 574-3307	48	17.4	160	14	16.1	153
Five Lakes Farms Mayerthorpe 786-4373	162	14.0	171	23	14.1	173
Knobben, G. Jarvie 954-2125	54	13.4	166	4	13.1	188
Knobben, J. Jarvie 954-2647	54	13.4	162	9	13.3	174
Maschmeyer, D. Bruderheim 998-2845	46	15.3	151	12	14.2	147
Maschmeyer, G. Bruderheim 998-2845	27	14.8	153	13	15.0	151
Matejka, G. Sylvan Lake 887-2656	158	13.9	180	18	11.5	172
Milne, B. Bonoka 783-6695	116	14.2	157	12	12.2	148
Papenhuyzen, C. Stony Plain 963-4358	20	19.1	165	2	15.4	185

BREEDER ADDRESS TELEPHONE	12 MONTH AVERAGE			THIS PROBE PERIOD		
	# PROBED	BACKFAT (MM)	AGE (DAYS)	# PROBED	AVG. BACKFAT	AVG. AGE
Reiter Farms Ltd. Iron Springs 38-4472	151	13.7	161	43	14.0	150
Rice, R. Hardrossan 98-2794	29	14.9	169	4	15.9	167
Roeske, M. Alcomdale 39-4939	137	16.0	156	16	15.2	165
Turko, D. Newbrook 676-2315	43	15.6	160	9	16.4	162
<u>LANDRACE</u>						
Knobben, J. Jarvie 54-2647	(Not Available)			3	15.5	146
Maschmeyer, G. Bruderheim 98-2845	(Not Available)			9	15.7	146
<u>LACOMBE</u>						
Bloomsbury Farms Bloomsbury 674-3307	70	16.7	148	14	15.5	144
Five Lakes Farms Mayerthorpe 786-4373	101	13.9	171	4	16.6	166
<u>HAMPSHIRE</u>						
Bloomsbury Farms Bloomsbury 674-3307	51	14.0	178	7	12.9	149
Five Lakes Farms Mayerthorpe 786-4373	78	12.8	174	5	14.1	173

BREEDER ADDRESS & TELEPHONE	12 MONTH AVERAGE			THIS PROBE PERIOD		
	# PROBED	BACKFAT (MM)	AGE (DAYS)	# PROBED	AVG. BACKFAT	AVG AGE
Papenhuyzen, C. Stony Plain 963-4358	34	15.0	172	3	14.7	175
Rice, R. Ardrossan 998-2794	(Not Available)			3	13.6	166
<u>DUROC</u>						
Maschmeyer, G. Bruderheim 998-2845	32	15.5	150	14	14.7	144
Milne, B. Ponoka 783-6695	(Not Available)			2	15.5	150
Papenhuyzen, C. Stony Plain 963-4358	(Not Available)			3	16.9	171
Rice, R. Ardrossan 998-2794	(Not Available)			1	15.0	191
<u>CROSSBRED</u>						
Bloomsbury Farms Bloomsbury 674-3307	37	16.2	134	3	15.5	161
Milne, B. Ponoka 783-6695	160	14.3	151	8	12.1	151
Olds College Olds 556-8327	371	15.5	160	22	15.6	151
Ranchview Test Barn Bentley 748-3802	231	14.4	171	35	13.8	161
Rice, R. Ardrossan 998-2794	(Not Available)			6	15.2	161

Alberta Swine Improvement Program

#204, 7000 - 113 St. Edmonton Alberta T6H 5T6 phone: 427-5319

HOME TEST REPORT
November 16 - 30, 1987

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire to all other sires in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The sire's EBV index is also an across herd comparison of the sire's genetic worth which combines backfat and age into one figure. A 100 index is the average for each breed for Western Canada. The greater index value above 100, the greater the overall genetic worth. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are also available for dams and other regions of Canada from the Pork Industry Branch at the address listed on page 2.

How To Use This Report

(See Reverse)

How To Use This Report

BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

1. Determine what breeds or crossbreeds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by:

Lajos Hajdu
Senior Swine Technician
Alberta Agriculture, Pork Industry Branch
#204, 7000 - 113 Street
EDMONTON, Alberta
T6H 5T6
Phone: 427 - 5319

B O A R D

BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS	
		FAT (MM)	AGE (DAYS)	EBV INDEX	INDEX			TO 90 KG	TO 90 KG IND.
YORKSHIRE									
ra Farms Ltd.	12 month average					115 pigs	(13.4)	(154)	100
otoks									
8-7741	RITR 505U					ARHL 345W	12.1	160	105
	KKEF 2332T (1)	-1.8	-11.4	177	"	356W	14.2	160	82
	"	"	"	"	"	358W	13.9	153	97
	"	"	"	"	"	366W	14.4	152	92
	"	"	"	"	"	367W	11.8	152	122
	"	"	"	"	"	369W	15.2	154	81
	RITR 924T (1)	-1.3	-11.2	166	"	382W	14.0	143	113
	"	"	"	"	"	385W	14.0	154	94
	RITR 505U				"	386W	14.0	165	75
	"				"	387W	11.7	149	127
	"				"	388W	14.4	160	78
	"				"	389W	11.5	159	113
	"				"	390W	13.8	156	93
	"				"	396W	16.4	143	86
	"				"	399W	14.5	153	90
	"				"	400W	13.7	148	107
	"				"	445W	14.1	129	134
rett, R. & A.	12 month average					(Not Available)			
noka									
8-5192	ROYS 431U					ROY 161W	12.9	150	
	"					" 163W	15.0	150	
	"					" 167W	16.3	157	
	AMBW 514S (1)	-2.0	+6.9	109	"	193W	12.5	132	
	"	"	"	"	"	194W	10.3	138	
	"	"	"	"	"	195W	11.6	130	
	"	"	"	"	"	196W	10.3	142	
	"	"	"	"	"	197W	10.6	133	
ombsbury Farms	12 month average					46 pigs	(15.1)	(150)	100
ombsbury									
8-3307	WM 804U	+0.9	-8.1	114	WM	4609W	14.5	149	108
	"	"	"	"	"	4807W	14.8	147	107
	"	"	"	"	"	4808W	14.1	150	110
	"	"	"	"	"	4809W	12.8	144	130

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	IN
		FAT (MM)	AGE (DAYS)					
Braat, J. Coaldale 327-9757	12 month average				88 pigs	(12.0)	(148)	10
	ANZI 3863P	-2.3	+8.6	108	ARBF 370W	8.7	170	9
	ARBF 784T	-2.0	+6.1	113	" 383W	9.7	164	9
	"	"	"	"	" 428W	10.9	154	10
	ANZI 3863P	-2.3	+8.6	108	" 432W	11.9	147	10
	"	"	"	"	" 433W	9.2	145	13
	"	"	"	"	" 434W	10.3	151	11
	"	"	"	"	" 442W	12.3	146	10
	"	"	"	"	" 443W	11.8	159	8
	"	"	"	"	" 444W	9.5	159	10
	ARBF 784T	-2.0	+6.1	113	" 449W	13.2	143	9
	ANZI 3863P	-2.3	+8.6	108	" 453W	13.4	134	11
Brownlee, J. Hairy Hill 768-2313	12 month average				60 pigs	(14.2)	(163)	10
	AHKP 0850S	+0.5	-2.4	101	AHKP 373W	14.1	173	9
	"	"	"	"	" 382W	14.9	151	10
	"	"	"	"	" 383W	11.6	152	13
	"	"	"	"	" 384W	11.4	151	13
	"	"	"	"	" 386W	16.4	157	8
	KKEF 1930T	-0.7	-3.7	127	" 401W	13.3	168	10
	"	"	"	"	" 402W	13.4	169	9
	"	"	"	"	" 0406W	11.7	164	12
	"	"	"	"	" 409W	16.3	166	7
Eringsfeld, B. Coaldale 345-3420	12 month average				52 pigs	(13.8)	(167)	10
	AREE 192U				AOGK 541W	12.5	174	10
	KKEF 1304S	-1.4	+0.6	124	" 552W	11.6	166	12
	AREE 192U				" 601W	13.4	155	12
	"				" 631W	14.1	161	10
Five Lakes Farms Mayerthorpe 786-4373	12 month average				198 pigs	(12.5)	(158)	10
	RITR 964T	+0.7	+2.2	79	JKAA 10002W	12.3	178	7
	"	"	"	"	" 10003W	11.5	175	8
	"	"	"	"	" 10004W	14.0	187	4
	"	"	"	"	" 10005W	14.6	187	3
	AOET 1395S	-0.6	-0.5	114	" 10303W	11.7	185	7
	JKAA 5005U				" 10901W	10.6	155	12
	"				" 10904W	14.0	177	5
	"				" 10905W	9.9	177	10
	NPD 8714T (1)	-0.4	+5.1	88	" 11102W	12.5	168	8
	"	"	"	"	" 11103W	13.1	154	9
	RITR 964T	+0.7	+2.2	79	" 11702W	12.1	148	11

BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG		IND
		FAT (MM)	AGE (DAYS)						
Five Lakes Farms (continued)	RITR 964T	+0.7	+2.2	79	JKAA 11704W	13.3	162		84
	JKAA 5005U				" 11802W	12.2	156		105
	"				" 11803W	10.0	156		130
	"				" 11804W	12.6	151		107
	JKAA 9201U				" 12001W	12.7	158		96
	"				" 12004W	12.0	162		99
	"				" 12005W	14.6	159		73
	"				" 12006W	13.2	162		85
	JKAA 924T	+0.7	+2.2	79	" 12103W	12.9	156		97
	"	"	"	"	" 12104W	12.9	149		106
	"	"	"	"	" 12105W	13.0	153		100
Wynne Vista Farms	12 month average				56 pigs	(13.1)	(169)		100
Wynne 62-2998	RITR 924T (1)	-1.3	-11.2	166	GWYN 8301W	12.0	164		117
	JKAA 4308U				" 8701W	10.4	149		148
	AOGK 741T	-2.2	-3.3	153	" 8802W	9.6	160		139
	"	"	"	"	" 8804W	11.3	152		138
	"	"	"	"	" 8805W	11.3	152		138
	GWYN 6303U				" 9005W	11.5	157		129
	RITR 924T (1)	-1.3	-11.2	166	" 9605W	13.8	137		140
Carthy, J. Indale 2-4531	12 month average				24 pigs	(14.1)	(143)		100
	RITR 924T (1)	-1.3	-11.2	166	ASZT 144W	14.2	133		131
	"	"	"	"	" 145W	12.8	141		124
	"	"	"	"	" 146W	13.3	142		111
	"	"	"	"	" 147W	14.7	135		119
	"	"	"	"	" 148W	13.2	137		130
	"	"	"	"	" 149W	13.2	146		100
Line, B. onoka 33-6695	12 month average				105 pigs	(13.1)	(149)		100
	YRZN 575T (1)	-1.9	+3.8	119	MILN 496W	10.6	156		115
	MILN 678T	-2.3	-0.2	143	" 502W	12.2	152		106
	RITR 928T (1)				" 543W	11.8	150		115
Orinville Colony Orinville 39-2118	12 month average				(Not Available)				
	GARY 10S	-1.3	+2.0	115	MCMC 110W	11.8	169		
	"	"	"	"	" 114W	12.0	158		
Feiter Farms Ltd. on Springs 8-4472	12 month average				109 pigs	(12.4)	(151)		100
	KKEF 662U				RITR 1075W	12.4	145		111
	"				" 1076W	13.7	145		98
	"				" 1077W	12.8	154		92

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	IND
		FAT (MM)	AGE (DAYS)					
Reiter Farms Ltd. (continued)	RITR 924T (1)	-1.3	-11.2	166	RITR 1136W	12.2	142	120
	RITR 794U				" 1165W	11.1	154	107
	"				" 1166W	14.1	149	86
	RITR 526S				" 1175W	15.0	133	108
	RITR 664T	-2.0	-3.2	148	" 1186W	12.4	140	121
	"	"	"	"	" 1187W	15.9	143	80
	KKEF 1053S	-2.1	-0.7	141	" 1194W	9.6	134	161
	"	"	"	"	" 1195W	10.4	147	126
	KKEF 662U				" 1204W	11.8	131	146
	"				" 1205W	13.4	132	127
	"				" 1206W	11.3	133	147
	"				" 1207W	13.0	138	118
	RITR 526S	-2.0	-3.2	148	" 1215W	18.5	144	50
	"	"	"	"	" 1216W	14.0	133	120
	"	"	"	"	" 1217W	13.6	144	102
Roeske, M. Alcomdale 934-4938	12 month average				35 pigs	(15.0)	(147)	100
	RITR 924T (1)	-1.3	-11.2	166	ROSE 294W	12.1	151	123
	"	"	"	"	" 298W	12.8	134	153
	"	"	"	"	" 300W	11.1	133	174
	"	"	"	"	" 301W	12.9	131	158
	"	"	"	"	" 306W	14.8	142	113
	RITR 1174U (1)				" 317W	13.7	135	140
	"				" 322W	15.0	140	116
Turko, D. Newbrook 576-2315	12 month average				20 pigs	(14.5)	(151)	100
	GARY 315T	+1.1	-5.3	101	140W	15.2	153	89
	"	"	"	"	141W	16.7	148	76
	"	"	"	"	142W	17.1	138	84
	"	"	"	"	151W	14.4	156	94
Vandenberg, J. Camrose 672-6177	12 month average				22 pigs	(14.2)	(163)	100
	ASCG 175T				ASCG 420W	15.0	168	79
	"				" 422W	13.1	162	114
	ASCG 180T				" 431W	15.7	155	99
	"				" 455W	15.8	179	46
	ASCG 410U				" 462W	14.8	155	109
	"				" 464W	15.5	150	112
	ASCG 175T				" 475W	16.5	171	57
	"				" 500W	13.4	155	126
	"				" 501W	11.7	151	154
	"				" 502W	13.4	162	110
	"				" 503W	13.5	153	127

BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDE
		FAT (MM)	AGE (DAYS)					
st, N. & T.J.	12 month average				31 pigs	(14.2)	(157)	100
lway								
6-3790	JKAA 421T	-0.8	-5.6	136	ATED 130W	13.2	139	129
	"	"	"	"	" 131W	12.9	140	131
	"	"	"	"	" 132W	11.8	137	143
	AREE 262U				" 136W	13.5	138	128
<u>LANDRACE</u>								
ra Farms Ltd.	12 month average				119 pigs	(13.4)	(157)	100
otoks								
8-7741	AVON 417U (1)				ARHL 333W	17.6	163	49
	"				" 335W	13.1	164	92
	ARHL 552U				" 338W	11.3	165	109
	"				" 339W	13.7	154	100
	"				" 349W	14.1	156	95
	"				" 351W	12.3	156	111
	"				" 353W	14.0	161	88
	"				" 375W	11.1	143	140
	"				" 404W	14.3	155	94
	"				" 405W	12.6	154	112
	AOUD 1803U				" 429W	15.8	133	109
rett, R. & A.	12 month average				105 pigs	(14.5)	(136)	100
hoka								
8-5192	ROYS 273U				ROYS 183W	10.5	144	120
	"				" 184W	13.6	148	84
	"				" 185W	13.2	142	99
	"				" 186W	15.2	142	81
	"				" 187W	12.9	141	105
	"				" 188W	15.5	144	75
	"				" 189W	13.6	151	79
	ROYS 61U	-1.9	-1.8	137	" 208W	12.4	130	131
	"	"	"	"	" 209W	14.8	127	116
	"	"	"	"	" 211W	13.6	141	99
ff, D.	12 month average				57 pigs	(14.6)	(149)	100
ct Saskatchewan								
8-3101	MCMC 8T	-1.5	-3.3	137	DUFF 390W	13.4	139	125
	"	"	"	"	" 391W	10.3	146	140
	DUFF 544T	-0.6	-3.3	122	" 400W	15.9	144	95
	"	"	"	"	" 401W	12.7	145	121
	"	"	"	"	" 410W	14.8	136	117
	"	"	"	"	" 440W	12.3	135	140

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	I
		FAT (MM)	AGE (DAYS)	EBV INDEX	PIG IDENTIFICATION			
Eringsfeld, B. Coaldale 345-3420	12 month average ARHL 466U "				(Not Available) AOGK 671W " 672W	14.4 14.2	159 141	
Knobben, J. Jarvie 954-2125	12 month average AREE 361U " " "				(Not Available) AREE 181W " 183W " 184W " 185W	13.4 11.4 12.2 13.8	151 151 157 154	
Lakeland College Vermilion 853-8597, Ext. 597	12 month average ARHL 313T (1) " " " " TONY 2391T (1) " ARHL 313T (1)	-0.8 " " " " -0.8	+3.7 " " " " +3.7	98 " " " " 98	ATAT 227W " 230W " 231W " 232W " 233W " 240W " 241W " 244W	15.0 15.4 15.0 15.6 14.1 12.9 13.8 13.9	168 163 145 172 159 149 160 161	1 1 1 1 1 1 1 1
Milne, B. Ponoka 783-6695	12 month average AVON 417U (1) " " " " MILN 233U AVON 417U (1)				44 pigs MILN 479W " 480W " 488W " 523W " 538W " 550W " 601W	(13.1) 12.0 13.8 11.6 12.5 12.3 10.7 12.0	(150) 149 151 148 153 146 145 129	1 1 1 1 1 1 1 1
Reiter Farms Ltd. Iron Springs 738-4472	12 month average TONY 615U " " " " "				(Not Available) RITR 1105W " 1265W " 1266W " 1267W " 1306W " 1384W	16.2 15.5 13.8 13.1 13.7 14.2	152 132 145 137 141 132	
West, N. & T.J. Radway 736-3790	12 month average MCMC 13T	-0.4	-2.1	115	(Not Available) LAST 25W	12.7	142	

FEEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV		PIG IDENTIFICATION	BACKFAT (MM) TO		AGE DAYS	
		FAT (MM)	AGE (DAYS)	INDEX	INDEX		90 KG	TO 90 KG	INDI	

LACOMBE

oomsbury Farms	12 month average					70 pigs	(15.9)	(142)	100
oomsbury									
4-3307	BL 1106U					BL 3504W	14.2	170	82
	BL 1508U					" 3606W	12.9	152	114
	"					" 3609W	12.5	143	128
	"					" 3610W	13.3	145	119
	BL 1505T	-1.5	-8.8	163		" 3707W	13.7	156	102
	"	"	"	"		" 3709W	15.0	154	94
	"	"	"	"		" 3710W	11.8	150	125
	"	"	"	"		" 3711W	13.7	144	116
	"	"	"	"		" 3712W	13.8	147	112
	"	"	"	"		" 3713W	12.2	146	126
	BL 15309T					" 3805W	17.3	136	96
	"					" 3806W	17.9	132	96
	"					" 3908W	14.8	132	121
	"					" 3909W	16.1	140	101
	"					" 3910W	12.9	140	128
	BL 15611T	-0.4	-4.2	122		" 4107W	16.9	136	99
	BL 15309T					" 4406W	18.4	130	94
	"					" 4407W	16.2	127	116
	"					" 4409W	17.2	130	104
	"					" 4605W	14.3	125	134

ve Lakes Farms	12 month average					109 pigs	(12.4)	(158)	100
verthorpe									
6-4373	NE 36U (1)					JA 9601W	13.8	180	53
	"					" 9606W	13.0	191	47
	JA 5204U					" 10401W	12.6	182	64

ynne Vista Farms	12 month average					97 pigs	(13.3)	(162)	100
ynne									
2-2998	KR 6102U					JTR 7403W	10.5	167	122
	"					" 7404W	10.6	181	96
	"					" 7405W	10.5	159	137
	KR 8904S	-2.3	+1.8	143		KR 7802W	15.3	171	62
	"	"	"	"		" 8601W	9.6	158	149

HAMPSHIRE

oomsbury Farms	12 month average					49 pigs	(13.8)	(160)	100
oomsbury									
4-3307	WM 8304T	-0.1	-6.2	124		WM 4203W	13.4	166	99
	"	"	"	"		" 4206W	10.9	159	129
	WM 1606U					" 4306W	14.1	171	88
	WM 906U					" 4407W	12.5	160	113

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	IN
		FAT (MM)	AGE (DAYS)	EBV INDEX					
Bloomsbury Farms (continued)	WM 8304T	-0.1	-6.2	124	WM	4705W	13.3	153	11
	"	"	"	"	"	4706W	12.7	149	12
	"	"	"	"	"	4708W	12.4	154	11
	"	"	"	"	"	4709W	14.8	156	9
	"	"	"	"	"	4710W	13.5	161	10
	"	"	"	"	"	4712W	11.9	158	12
	"	"	"	"	"	4713W	13.8	164	9
	"	"	"	"	"	4906W	15.6	149	9
	"	"	"	"	"	4907W	14.3	146	10
	"	"	"	"	"	4908W	13.8	149	10

Five Lakes Farms Mayerthorpe 786-4373	12 month average				82 pigs		(11.7)	(161)	10
	JKAA 8103U				NP	8802W	10.5	186	7
	AJCM 2425T (1)				JKAA	9401W	12.1	176	7
	AOZM 333T (1)	+0.5	+0.3	81	YAP	9803W	13.5	172	6
	JKAA 8103U				NP	10201W	11.4	188	6
	"				"	10202W	9.8	185	8
	JKAA 8106U				JKAA	10502W	13.4	164	7
	"				"	10503W	15.7	173	3
	"				"	10505W	13.4	171	6
	"				"	10507W	13.1	166	7
	"				"	11202W	12.9	175	6
	"				"	11204W	11.8	166	9
	"				"	11302W	14.6	171	5
	"				"	11403W	13.5	172	6
	JKAA 8103U				YAP	11505W	12.1	165	8
	"				"	11901W	14.1	142	10

Reiter Farms Ltd. Iron Springs 738-4472	12 month average				(Not Available)				
	AHKP 580T				RITR	1223W	11.4	155	

DUROC

Reiter Farms Ltd. Iron Springs 738-4472	12 month average				(Not Available)				
	HILL 161T				RITR	1292W	12.5	133	
	"				"	1293W	11.7	141	
	"				"	1294W	13.0	146	
	"				"	1295W	13.2	140	

BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	IND
		FAT (MM)	AGE (DAYS)	EBV	INDEX				
CROSSBRED									
oomsbury Farms	12 month average					23 pigs	(15.5)	(13.5)	100
oomsbury									
4-3307	BL 1106U					8 KJ 1808W	15.6	172	36
aat, J.	12 month average					85 pigs	(13.6)	(141)	100
aldale									
7-9757	ARBF 656T	-1.0	-7.1	155		377W	12.4	158	78
	ARBF 784T	-2.0	+6.1	113		397W	9.8	172	71
	ARBF 64T	-1.1	-0.6	130		435W	12.7	150	91
	"	"	"	"		436W	13.4	142	101
	"	"	"	"		437W	14.8	147	78
	"	"	"	"		438W	12.5	152	89
	"	"	"	"		456W	11.0	134	139
	"	"	"	"		458W	10.6	135	140
	ARBF 656T	-1.0	-7.1	155		464W	9.6	141	136
oot, C.	12 month average					70 pigs	(13.7)	(164)	100
erlandia									
4-4077	3083					6013W	14.8	200	32
	"					6060W	12.6	181	86
	"					6093W	11.6	161	125
	"					6095W	14.0	167	91
	3991					6111W	11.7	185	88
	"					6112W	11.9	168	112
	"					6114W	11.4	182	95
	4304					6151W	11.9	153	135
ynne Vista Farms	12 month average					(Not Available)			
ynne									
2-2998	8 BT 500T					8 BT 7201W	13.2	181	
rinville Colony	12 month average					48 pigs	(13.7)	(166)	100
rinville									
9-2118	GARY 10S					303W	14.3	198	71
	NP 4004U					342W	11.6	192	104
	"					343W	13.2	226	49
	"					345W	12.0	192	100
	"					347W	11.6	192	104
	JR					359W	10.7	192	112
achview Test Barn	12 month average					598 pigs	(13.5)	(157)	100
ntley									
8-3802	RFAA 3523T					2095W	14.5	164	74
	RFAA 3522T					2162W	12.7	161	100
	RFAA 3533T					2305W	11.4	158	122

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	IN
		FAT (MM)	AGE (DAYS)	INDEX	INDEX				
Ranchview Test	RFAA 3533T					2306W	13.1	156	10
Barn (con't.)	AMBW 514S (1)	-2.0	+6.9	109		2322W	13.5	158	9
	"	"	"	"		2325W	13.1	153	11
	KTDA 262T (1)					2363W	12.5	143	11
	RFAA 3523T					2371W	11.6	142	19
	"					2372W	12.6	143	13
	RFAA 5711U					2381W	12.7	146	13
	"					2382W	11.4	141	15
	"					2383W	14.5	144	11
	"					2385W	12.1	148	13
	ASOV 932T (1)					2392W	14.6	164	7
	RFAA 3271T					2401W	11.1	138	16
	"					2402W	12.0	138	15
	"					2403W	13.3	138	14
	KKEF 2332T (1)	-1.8	-11.4	177		2412W	11.8	154	12
	ARHL 313T (1)	-0.8	+3.7	98		2476W	9.8	143	17
	AJCM 2425T (1)					2517W	13.1	143	13

G I L T S

BREEDER ADDRESS TELEPHONE	12 MONTH AVERAGE			THIS PROBE PERIOD		
	# PROBED	BACKFAT (MM)	AGE (DAYS)	# PROBED	AVG. BACKFAT	AVG. AGE
<u>YORKSHIRE</u>						
gra Farms Ltd. kotoks 38-7741	121	14.4	157	15	14.3	155
aert, M. arrhead 74-3953	(Not Available)			1	12.2	143
arrett, R. & A. onoka 33-5192	(Not Available)			4	11.6	140
loomsbury Farms loomsbury 74-3307	48	17.4	160	7	15.3	152
raat, J. aldale 27-9757	146	12.5	155	11	12.2	148
rownlee, J. airy Hill 68-2313	39	15.4	167	13	14.3	164
ringfeld, B. aldale 45-3420	56	15.0	173	9	13.8	172
ve Lakes Farms ayerthorpe 86-4373	162	14.0	171	24	13.3	173
ynne Vista Farms ynne 62-2998	133	14.0	173	24	12.7	158
obben, J. rvie 4-2647	34	13.4	162	7	13.1	161

BREEDER ADDRESS & TELEPHONE	12 MONTH AVERAGE			THIS PROBE PERIOD		
	# PROBED	BACKFAT (MM)	AGE (DAYS)	# PROBED	AVG. BACKFAT	AVG. AGE
McCarthy, J. Lindale 542-4531	37	16.3	146	5	13.6	153
Milne, B. Ponoka 783-6695	116	14.2	157	6	11.6	154
Morinville Colony Morinville 939-2118	(Not Available)			4	14.0	164
Reiter Farms Ltd. Iron Springs 738-4472	151	13.7	161	14	12.5	148
Roeske, M. Alcomdale 939-4938	137	16.0	156	19	14.7	153
Turko, D. Newbrook 576-2315	43	15.6	160	3	15.9	146
West, N. & T.J. Radway 736-3790	23	14.3	160	4	15.3	147
<u>LANDRACE</u>						
Agra Farms Ltd. Okotoks 938-7741	130	13.6	160	19	14.1	165
Barrett, R. & A. Ponoka 783-5192	137	15.9	143	8	13.4	143
Duff, D. Ft. Saskatchewan 998-3101	102	14.5	149	23	14.2	144
Eringfeld, B. Coaldale 345-3420	(Not Available)			4	14.7	157

FEEDER ADDRESS TELEPHONE	12 MONTH AVERAGE			THIS PROBE PERIOD		
	# PROBED	BACKFAT (MM)	AGE (DAYS)	# PROBED	AVG. BACKFAT	AVG. AGE
obben, J. rvie 4-2647	(Not Available)			3	13.7	166
keland College rmillion 3-8597, Ext. 597	143	15.5	166	10	15.4	162
lne, B. noka 3-6695	50	14.4	151	15	12.3	151
rinville Colony rinville 9-2118	47	14.1	151	5	12.0	176
iter Farms Ltd. on Springs 8-4472	27	14.1	155	2	17.0	160
<u>LACOMBE</u>						
oomsbury Farms oomsbury 4-3307	70	16.7	148	14	16.5	142
ve Lakes Farms yerthorpe 6-4373	101	13.9	171	6	13.6	171
ynne Vista Farms ynne 2-2998	133	14.5	171	15	13.4	165
<u>HAMPSHIRE</u>						
oomsbury Farms oomsbury 4-3307	51	14.0	178	9	12.8	163
ownlee, J. lry Hill 8-2313	35	13.2	177	1	12.4	154
ve Lakes Farms yerthorpe 6-4373	78	12.8	174	10	13.2	177

BREEDER ADDRESS & TELEPHONE	12 MONTH AVERAGE			THIS PROBE PERIOD		
	# PROBED	BACKFAT (MM)	AGE (DAYS)	# PROBED	AVG. BACKFAT	AVG. AGE
<u>DUROC</u>						
Braat, J. Coaldale 327-9757	(Not Available)			3	15.1	162
<u>CROSSBRED</u>						
Bloomsbury Farms Bloomsbury 674-3307	37	16.2	134	8	15.4	143
Baert, M. Barrhead 674-3953	57	15.4	149	12	14.9	155
Braat, J. Coaldale 327-9757	24	14.9	148	19	12.8	154
Groot, C. Neerlandia 674-4077	149	13.8	167	26	13.5	171
Gwynne Vista Farms Gwynne 352-2998	117	14.5	165	10	13.1	164
Lakeland College Vermilion 853-8597, Ext. 597	(Not Available)			2	17.7	157
Milne, B. Ponoka 783-6695	160	14.3	151	4	11.5	152
Morinville Colony Morinville 939-2118	187	14.8	170	18	13.8	174
Old House Farms Neerlandia 674-5453	97	13.8	177	36	14.2	174
Ranchview Test Barn Bentley 748-3802	231	14.4	171	15	12.8	169

FEEDER ADDRESS TELEPHONE	12 MONTH AVERAGE			THIS PROBE PERIOD		
	# PROBED	BACKFAT (MM)	AGE (DAYS)	# PROBED	AVG. BACKFAT	AVG. AGE
nchview Farms "B" ntley 8-3802	728	15.2	167	30	13.8	156
st, N. & T.J. dway 6-3790	191	15.5	158	30	15.3	146
erenga, C. erlandia 4-5904	69	14.7	169	30	14.1	162
elk Farms, Unit #1 llet 7-4801	123	16.6	174	8	16.1	178
elk Farms, Unit #2 llet 7-4801	133	16.2	173	9	16.4	164

Alberta Swine Improvement Program

CANADIANA

JAN 28 1988

AL-1.827

#204, 7000 - 113 St. Edmonton Alberta T6H 5T6 phone: 427-5319

HOME TEST REPORT December 1 - 15, 1987

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire to all other sires in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The sire's EBV index is also an across herd comparison of the sire's genetic worth which combines backfat and age into one figure. A 100 index is the average for each breed for Western Canada. The greater index value above 100, the greater the overall genetic worth. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are also available for dams and other regions of Canada from the Pork Industry Branch at the address listed on page 2.

How To Use This Report

(See Reverse)

How To Use This Report

BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

1. Determine what breeds or crossbreds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by:

Lajos Hajdu
Senior Swine Technician
Alberta Agriculture, Pork Industry Branch
#204, 7000 - 113 Street
EDMONTON, Alberta
T6H 5T6
Phone: 427 - 5319

B O A R S

EEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENTIFICATION	BACKFAT		AGE	
		FAT (MM)	AGE (DAYS)	EBV	% REP		90 KG (MM)	90 KG (DAYS)	INDEX	
YORKSHIRE										
adia Breeders	12 month average						(Not Available)			
combe										
2-2766	RITR 505U					ACA 4W	13.3	125		
	"					" 5W	15.4	130		
rrrett, R. & A.	12 month average						(Not Available)			
noka										
3-5192	ROYS 431U					ROYS 160W	13.9	167		
	"					" 218W	13.4	141		
	"					" 220W	14.1	135		
	ROYS 401U					" 226W	15.9	130		
	"					" 227W	12.9	134		
aat, J.	12 month average					88 pigs	(12.0)	(148)		100
aldale										
7-9757	ANZI 3863P	-2.3	+8.6	108	97	ARBF 469W	10.0	151		116
	ARBF 784T	-2.0	+6.1	113	72	" 479W	16.3	142		65
	"	"	"	"	"	" 480W	11.8	153		94
	"	"	"	"	"	" 482W	12.1	151		95
	"	"	"	"	"	" 489W	12.6	152		87
	"	"	"	"	"	" 492W	11.5	144		112
	"	"	"	"	"	" 493W	14.0	150		76
	"	"	"	"	"	" 494W	9.4	150		126
ingfeld, B.	12 month average					52 pigs	(13.8)	(167)		100
aldale										
5-3420	AREE 192U					AOGK 743W	14.4	140		132
ve Lakes Farms	12 month average					198 pigs	(12.5)	(158)		100
yerthorpe										
6-4373	RITR 964T	+0.7	+2.2	79	83	JKAA 11701W	12.3	186		64
	"	"	"	"	"	" 11703W	15.0	185		34
	JKAA 5005U					" 11803W	11.6	165		100
	"					" 12304W	12.6	171		80
	RITR 964T	+0.7	+2.2	79	83	" 13403W	14.5	141		98
	"	"	"	"	"	" 13404W	14.0	143		101
	RITR 924T (1)	-1.3	-11.2	166	64	" 13701W	13.7	151		94
	"	"	"	"	"	" 13706W	11.6	148		122

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENTIFICATION	BACKFAT 90 KG (MM)	AGE 90 KG (DAYS)	
		FAT (MM)	AGE (DAYS)	EBV INDEX	% REP				
Gwynne Vista Farms	12 month average					56 pigs	(13.1)	(169)	1
Gwynne									
352-2998	GWYN 6303U					GWYN 9003W	13.3	186	
	RITR 924T (1)	-1.3	-11.2	166	64	" 9502W	9.5	166	1
	"	"	"	"	"	" 9603W	9.3	169	1
	"	"	"	"	"	" 9604W	8.1	174	1
	"	"	"	"	"	" 9901W	14.6	151	1
	"	"	"	"	"	" 9904W	12.9	154	1
	"	"	"	"	"	" 9906W	9.9	152	1
	"	"	"	"	"	" 9907W	14.1	154	1
	JKAA 4308U					" 10003W	8.8	156	1
	"					" 10004W	8.0	154	1
	AOGK 741T	-2.2	-3.3	153	78	" 10502W	11.1	153	1
	"	"	"	"	"	" 10504W	11.0	152	1
Maschmeyer, G.	12 month average					32 pigs	(14.9)	(145)	1
Bruderheim									
998-2845	HILL 74U					HILL 145W	13.4	139	1
Matejka, G.	12 month average					239 pigs	(13.0)	(162)	1
Sylvan Lake									
887-2656	KKEF 2701S	-1.3	-8.4	155	83	KKEF 1670W	12.0	160	1
	"	"	"	"	"	" 1671W	13.3	160	1
	KKEF 342U					" 1710W	9.9	168	1
	"					" 1713W	10.1	174	1
	KKEF 1950U					" 1725W	10.7	158	1
	"					" 1727W	12.2	162	1
	KKEF 342U					" 1752W	11.6	170	1
	KKEF 1968U					" 1773W	12.7	157	1
Milne, B.	12 month average					105 pigs	(13.1)	(149)	1
Ponoka									
783-6695	RITR 924T (1)	-1.3	-11.2	166	64	MILN 572W	12.7	164	
	"	"	"	"	"	" 575W	13.3	139	1
Wakeena Farm	12 month average					(Not Available)			
Bentley									
748-4252	RITR 505U					KEEN 342W	11.4	152	
Weber Farms Ltd.	12 month average					(Not Available)			
Castor									
882-2572	AWGF 517U					AWGF 585W	12.1	163	
	"					" 586W	11.6	149	
	"					" 587W	12.6	163	
	"					" 588W	12.6	156	

BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENTIFICATION	BACKFAT 90 KG (MM)	AGE 90 KG (DAYS)	INDEX
		FAT (MM)	AGE (DAYS)	EBV	% REP				

LANDRACE

Rich Stock Farm	12 month average					(Not Available)			
hoka									
8-5181	JBFA 2S (1)	-1.4	-8.7	156	97	DICK 1784W	17.5	160	
eland College	12 month average					98 pigs	(14.6)	(160)	100
million									
8-8597, Ext. 597	ATAT 400U					ATAT 306W	13.6	159	111
	JBFA 2S (1)	-1.4	-8.7	156	97	" 313W	11.6	156	132
	"	"	"	"	"	" 315W	11.7	160	126
	"	"	"	"	"	" 328W	13.4	156	116
ine, B.	12 month average					44 pigs	(13.1)	(150)	100
hoka									
8-6695	AVON 417U (1)					MILN 538W	10.3	152	142
	MILN 233U					" 551W	11.9	150	119
	AVON 417U (1)					" 557W	10.4	144	151
	"					" 559W	11.1	143	140
	MILN 312U					" 568W	10.2	147	150
	AVON 417U (1)					" 583W	12.6	160	95
	"					" 584W	11.4	160	114
	HANK 1236S					" 592W	13.4	146	100
	"					" 593W	10.3	139	159
	"					" 594W	10.7	151	138
	"					" 595W	12.8	150	106
	AVON 417U (1)					" 600W	10.2	133	168
	"					" 603W	13.1	145	108
ceena Farm	12 month average					(Not Available)			
itley									
8-4252	EDJL 142U (1)					KEEN 310W	15.8	155	
	ARBU 262U (1)					" 322W	10.7	160	
	DUFF 171U					" 332W	13.9	165	

LACOMBE

ve Lakes Farms	12 month average					109 pigs	(12.4)	(158)	100
erthorpe									
6-4373	JA 5204U					JA 10701W	11.5	191	65
	JA 7403U					" 12803W	12.7	161	92
	JA 110T	-0.8	+5.1	100	82	" 13202W	12.2	152	110
	JA 11201U					" 13302W	13.2	160	87

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENTIFICATION	BACKFAT 90 KG	AGE 90 KG	IN
		FAT (MM)	AGE (DAYS)	EBV	% REP				
Gwynne Vista Farms	12 month average					97 pigs	(13.3)	(162)	10
Gwynne									
352-2998	NE 36U (1)					KR 9703W	14.6	170	7
	"					" 9707W	14.4	155	10
	KR 8904S	-2.3	+1.8	143	89	" 10301W	10.1	147	16
<u>HAMPSHIRE</u>									
Five Lakes Farms	12 month average					82 pigs	(11.7)	(161)	10
Mayerthorpe									
786-4373	AOJW 384T					JKAA 10609W	12.4	198	3
	JKAA 8106U					" 11604W	13.8	174	5
	"					" 11606W	13.8	178	4
	JKAA 8103U					NP 12506W	12.4	168	8
	AJCM 2425T (1)					YAP 13004W	13.3	166	7
	"					" 13101W	11.7	167	9
Papenhuyzen, C.	12 month average					21 pigs	(13.5)	(172)	10
Stony Plain									
963-4358	DASA 870T	+0.7	-3.1	86	49	ASUS 300W	9.5	175	15
	ASUS 49S	+0.4	+11.1	53	87	" 311W	10.8	193	11
	DASA 870T	+0.7	-3.1	86	49	" 321W	10.3	166	15
<u>DUROC</u>									
Lakeland College	12 month average					(Not Available)			
Vermilion									
853-8597, Ext. 597	AOUD 858T (1)					ATAT 288W	13.3	155	
	"					" 290W	12.6	170	
Maschmeyer, G.	12 month average					41 pigs	(13.8)	(148)	10
Bruderheim									
998-2845	AOUD 1512R	-0.4	+8.3	66	86	HILL 142W	12.8	146	11
	"	"	"	"	"	" 143W	12.1	136	13
	"	"	"	"	"	" 144W	10.8	142	13
	"	"	"	"	"	" 145W	13.1	141	11
Matejka, S.	12 month average					(Not Available)			
Sylvan Lake									
887-2656	HILL 68U					SMFL 1751W	12.4	167	
	"					" 1757W	10.7	174	

FEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENTIFICATION	BACKFAT	AGE	INDEX
		FAT (MM)	AGE (DAYS)	EBV	% REP		90 KG (MM)	90 KG (DAYS)	
<u>CROSSBRED</u>									
at, J.	12 month average					85 pigs	(13.6)	(141)	100
ldale									
-9757	ASDZ 541S	+0.9	-1.1	90	92	498W	11.9	136	126
	ASDZ 541S	"	"	"	"	499W	12.0	129	139
	ARBF 656T	-1.0	-7.1	155	67	506W	13.0	135	118
	"	"	"	"	"	507W	10.5	132	147
	"	"	"	"	"	516W	11.9	130	139
	"	"	"	"	"	522W	11.7	140	121
	"	"	"	"	"	530W	15.2	124	121
rich Stock Farm	12 month average					(Not Available)			
oka									
-5181	YRZN 575T (1)	-1.9	+3.8	119	81	1558W	11.6	167	
	"	"	"	"	"	1559W	12.8	166	
	"	"	"	"	"	1560W	10.0	189	
	"	"	"	"	"	1561W	10.7	164	
	"	"	"	"	"	1562W	12.3	169	
	ARHL 313T (1)	-0.8	+3.7	98	85	1583W	12.7	190	
	"	"	"	"	"	1584W	12.7	190	
	"	"	"	"	"	1586W	11.4	166	
	"	"	"	"	"	1589W	10.8	173	
ne, B.	12 month average					(Not Available)			
oka									
-6695	AJCM 2425U (1)					2471W	12.3	150	
chview Test Barn	12 month average					598 pigs	(13.5)	(157)	100
ttley									
-3802	RFAA 5711U					2234W	12.2	167	94
	KKEF 2332T (1)	-1.8	-11.4	177	52	2414W	10.9	151	141
	RFAA 3271T					2422W	13.7	161	89
	ATJG 04U (1)					2453W	12.2	147	133
	RITR 924T (1)	-1.3	-11.2	166	64	2467W	13.2	166	84
	ARHL 313T (1)	-0.8	+3.7	98	85	2474W	13.0	148	124
	AJCM 2425T (1)					2486W	11.7	152	130
	AMBW 514S (1)	-2.0	+6.9	109	94	2504W	11.1	154	132
	AJCM 2425T (1)					2512W	13.4	152	109
	"					2514W	13.1	153	112
	"					2518W	14.2	152	102
	KKEF 2332T (1)	-1.8	-11.4	177	52	2556W	12.2	157	115
	"	"	"	"	"	25511W	13.5	146	121
	AJCM 2425T (1)					2564W	13.8	153	104
	"					2565W	11.3	159	141
	KKEF 2332T (1)	-1.8	-11.4	177	52	2573W	14.7	152	96

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENTIFICATION	BACKFAT 90 KG (MM)	AGE 90 KG (DAYS)	IN
		FAT (MM)	AGE (DAYS)	EBV INDEX	% REP				
Ranchview Test Barn (con't).	ARBU 262U (1)					2581W	11.1	147	14
	"					2582W	12.3	156	11
	"					2583W	10.5	150	14
	AJCM 2425T (1)					2592W	13.2	148	12
	RFAA 5711U					2613W	11.4	142	15
	"					2615W	12.9	155	11
	KKEF 2332T (1)	-1.8	-11.4	177	52	2623W	14.0	147	11
	RFAA 2165T					2645W	13.3	152	11
	RFAA 5711U					2662W	11.5	145	14
	"					2665W	12.0	152	12
	ATJG 04U (1)					2681W	13.6	154	10
	KKEF 2332T (1)	-1.8	-11.4	177	52	2692W	15.0	152	9
	EDJL 142U (1)					2721W	13.6	152	10
	RFAA 5711U					2741W	12.7	138	14
	"					2743W	12.2	154	12
	AOUD 858T (1)					2765W	11.5	156	12
	KKEF 2332T (1)	-1.8	-11.4	177	52	2621W	12.6	156	11
	"	"	"	"	"	2631W	11.6	168	10
	RFAA 2165T					2641W	15.2	154	8
	KKEF 2332T (1)	-1.8	-11.4	177	52	2694W	15.0	146	10
	"	"	"	"	"	2704W	12.9	150	11
	"	"	"	"	"	2714W	13.5	145	12
	"	"	"	"	"	2716W	11.3	148	14
	EDJL 142U (1)					2721W	12.6	157	11
	RFAA 5711U					2742W	11.3	142	15
	"					2747W	11.0	146	14
	AOUD 858T (1)					2754W	14.8	154	9
	AJCM 2425T (1)					2791W	13.4	152	11
	"					2794W	12.6	143	13
	"					2795W	12.1	147	13
	"					2798W	13.1	150	11
	KKEF 2332T (1)	-1.8	-11.4	177	52	2822W	13.7	153	10
Ranchview Farms "B" 12 month average						122 pigs	(13.4)	(160)	10
Bentley 748-3802	RFAA 5999T					3467W	11.8	161	11
	RFAA 5496S					3488W	13.1	164	9
	RFAA 6578T					3566W	11.6	150	14
	ARBU 262U (1)					3598W	10.1	159	13
	"					3599W	10.4	157	13
	"					35910W	11.7	156	12
	RFAA 5496S					3637W	10.6	158	13
	EDJL 142U (1)					3707W	11.8	147	14

G I L T S

BREEDER ADDRESS & TELEPHONE	12 MONTH AVERAGE			THIS PROBE PERIOD		
	# PROBED	BACKFAT (MM)	AGE (DAYS)	# PROBED	AVG. BACKFAT	AVG. AGE
<u>YORKSHIRE</u>						
Acadia Breeders Ltd. Lacombe 782-2766	(Not Available)			2	13.5	129
Barrett, R. & A. Ponoka 783-5192	(Not Available)			5	14.7	141
Braat, J. Coaldale 327-9757	146	12.5	155	10	11.9	156
Carrich Stock Farm Ponoka 783-5181	(Not Available)			4	10.9	186
Eringfeld, B. Coaldale 345-3420	56	15.0	173	6	14.3	185
Five Lakes Farms Mayerthorpe 786-4373	162	14.0	171	23	13.5	171
Gwynne Vista Farms Gwynne 352-2998	133	14.0	173	15	12.8	162
Maschmeyer, G. Bruderheim 998-2845	27	14.8	153	2	12.8	142
Matejka, G. Sylvan Lake 887-2656	158	13.9	180	21	12.4	170
Milne, B. Ponoka 783-6695	116	14.2	157	3	11.0	149

BREEDER ADDRESS & TELEPHONE	12 MONTH AVERAGE			THIS PROBE PERIOD		
	# PROBED	BACKFAT (MM)	AGE (DAYS)	# PROBED	AVG. BACKFAT	AVG. AGE
Weber Farms Ltd. Castor 882-2572	(Not Available)			13	13.8	164
<u>LANDRACE</u>						
Carrich Stock Farm Ponoka 783-5181	20	14.3	186	2	13.3	169
Lakeland College Vermilion 853-8597, Ext. 597	143	15.5	166	18	15.8	160
Matejka, T. Sylvan Lake 887-2656	27	15.3	175	3	14.9	169
Milne, B. Ponoka 783-6695	50	14.4	151	12	12.9	149
Wakeena Farm Bentley 748-4252	23	14.8	167	8	12.8	161
<u>LACOMBE</u>						
Five Lakes Farms Mayerthorpe 786-4373	101	13.9	171	11	13.1	163
Gwynne Vista Farms Gwynne 352-2998	133	14.5	171	5	12.9	169
<u>HAMPSHIRE</u>						
Five Lakes Farms Mayerthorpe 786-4373	78	12.8	174	12	13.8	184
Papenhuyzen, C. Stony Plain 963-4358	34	15.0	172	8	12.7	185

BREEDER ADDRESS TELEPHONE	12 MONTH AVERAGE			THIS PROBE PERIOD		
	# PROBED	BACKFAT (MM)	AGE (DAYS)	# PROBED	AVG. BACKFAT	AVG. AGE
<u>DUROC</u>						
akeland College ermillion 53-8597, Ext. 597	(Not Available)			5	14.4	160
aschmeyer, G. ruderheim 98-2845	32	15.5	150	1	13.3	140
atejka, S. ylvan Lake 87-2656	(Not Available)			11	14.9	167
<u>CROSSBRED</u>						
caat, J. aldale 27-9757	24	14.9	148	14	13.4	139
urrich Stock Farm onoka 83-5181	66	14.0	180	28	14.1	189
ynne Vista Farms ynne 62-2998	117	14.5	165	5	12.6	166
lne, B. onoka 83-6695	160	14.3	151	12	12.3	147
d House Farms erlandia 4-5453	97	13.8	177	14	13.8	179
nchview Test Barn ntley 8-3802	231	14.4	171	56	12.9	166
nchview Farms "B" ntley 8-3802	728	15.2	167	24	12.5	155

BREEDER ADDRESS & TELEPHONE	12 MONTH AVERAGE			THIS PROBE PERIOD		
	# PROBED	BACKFAT (MM)	AGE (DAYS)	# PROBED	AVG. BACKFAT	AVG. AGE
Wakeena Farm Bentley 748-4252	(Not Available)			4	15.9	162
Weber Farms Ltd. Castor 882-2572	45	15.5	154	25	15.7	162

AL 1 527

Alberta Swine Improvement Program

CANADIANA

JAN 19 1988

#204, 7000 - 113 St. Edmonton Alberta T6H 5T6 phone: 427-5319

HOME TEST REPORT
December 16 - 31, 1987

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire to all other sires in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The sire's EBV index is also an across herd comparison of the sire's genetic worth which combines backfat and age into one figure. A 100 index is the average for each breed for Western Canada. The greater index value above 100, the greater the overall genetic worth. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are also available for dams and other regions of Canada from the Pork Industry Branch at the address listed on page 2.

How To Use This Report

(See Reverse)

How To Use This Report

BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

1. Determine what breeds or crossbreds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by:

Lajos Hajdu
Senior Swine Technician
Alberta Agriculture, Pork Industry Branch
#204, 7000 - 113 Street
EDMONTON, Alberta
T6H 5T6
Phone: 427 - 5319

B O A R D S

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENT.	BACKFAT		AGE		INDEX
		FAT (MM)	AGE (DAYS)	EBV INDEX	% REP		90 KG (MM)	90 KG (DAYS)			
<u>YORKSHIRE</u>											
Agra Farms Ltd. Okotoks 938-7741	12 month average					115 pigs	(13.4)	(154)			100
	RITR 505U					ARHL 417W	11.6	156			117
	"					" 441W	13.0	154			105
	"					" 442W	14.7	150			94
	"					" 443W	14.0	157			89
	"					" 444W	10.2	151			141
	"					" 452W	15.6	144			93
	"					" 453W	10.7	155			129
	RITR 1174U (1)					" 467W	15.2	142			100
	"					" 468W	11.0	136			158
	JKAA 13804U					" 484W	13.2	138			129
	RITR 505U					" 486W	14.2	130			131
	"					" 489W	15.0	132			120
Barrett, R. & A. Ponoka 783-5192	12 month average					(Not Available)					
	ROYS 431U					ROYS 216W	13.3	146			
	"					" 217W	10.3	151			
	"					" 219W	12.2	145			
	ROYS 401U					" 228W	11.3	142			
	"					" 229W	10.7	144			
	"					" 235W	13.0	156			
	"					" 236W	11.9	142			
	"					" 237W	11.7	141			
	"					" 238W	14.7	150			
	"					" 246W	12.7	140			
	"					" 247W	11.1	150			
	"					" 248W	10.6	146			
	ROYS 431U					" 256W	10.9	127			
	"					" 257W	14.0	124			
	"					" 258W	12.0	134			
Brownlee, J. Fairy Hill 68-2313	12 month average					60 pigs	(14.2)	(163)			100
	RITR 574U					AHKP 418W	12.3	152			129
	"					" 419W	14.4	165			95
	KKEF 1930T	-0.7	-3.7	127	50	" 448W	14.1	156			108
	RITR 574U					" 455W	13.9	151			116
	KKEF 1930T	-0.7	-3.7	127	50	" 502W	14.1	169			93

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENT.	BACKFAT		AGE		IND
		FAT (MM)	AGE (DAYS)	EBV INDEX	% REP		90 KG (MM)		90 KG (DAYS)		
Carrich Stock Farm Ponoka 783-5181	12 month average DICK 305T					(Not Available) DICK 1804W	12.6		172		
Knobben, G. Jarvie 954-2125	12 month average AREE 510U					34 pigs GARY 210W	(12.5)		(158)		100
	"					" 211W	14.5		140		104
	"					" 212W	12.3		138		138
	"					" 213W	11.0		146		141
	"					" 214W	16.8		141		69
	"					" 215W	13.4		147		100
	"					" 215W	11.9		141		138
Knobben, J. Jarvie 954-2647	12 month average GARY 42S					46 pigs AREE 240W	(12.5)		(151)		100
	"	+1.8	-4.8	87	87	" 243W	14.3		148		80
	"	"	"	"	"	" 247W	11.2		155		101
	"	"	"	"	"	" 247W	12.9		146		101
Maschmeyer, D. Bruderheim 998-2845	12 month average NPD 8714T (1)					57 pigs DOUG 195W	(14.2)		(148)		100
	"	-0.4	+5.1	88	81	" 196W	15.5		148		88
	"	"	"	"	"	" 197W	22.5		143		30
	"	"	"	"	"	" 198W	14.5		154		80
	"	"	"	"	"	" 199W	15.5		154		70
	"	"	"	"	"	" 199W	15.3		147		91
Maschmeyer, G. Bruderheim 998-2845	12 month average RITR 924T (1)					32 pigs HILL 156W	(14.9)		(145)		100
	"	-1.3	-11.2	166	64	" 157W	12.4		144		121
	"	"	"	"	"	" 158W	14.1		140		111
	"	"	"	"	"	" 163W	13.5		141		111
	"	"	"	"	"	" 165W	9.8		137		151
	"	"	"	"	"	" 165W	13.6		152		101
Matejka, G. Sylvan Lake 887-2656	12 month average KKEF 570S					239 pigs KKEF 1900W	(13.0)		(162)		100
	KKEF 2193S	-1.2	-5.9	145	87	" 1921W	11.5		160		121
	"	"	"	"	"	" 1922W	11.6		157		121
	KKEF 2701S	-1.3	-8.4	155	83	" 2004W	10.6		153		141
	KKEF 2193S	-1.2	-5.9	145	87	" 2031W	12.0		153		131
	DOUG 354T	-1.9	+0.5	133	64	" 2063W	10.2		152		151
	"	"	"	"	"	" 2064W	11.6		152		131
							12.9		150		121

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENT.	BACKFAT 90 KG (MM)	AGE 90 KG (DAYS)	INDEX
		FAT (MM)	AGE (DAYS)	EBV INDEX	% REP				
Milne, B. Ponoka 783-6695	12 month average					105 pigs	(13.1)	(149)	100
	RITR 924T	-1.3	-11.2	166	64	MILN 635W	14.0	132	130
	"	"	"	"	"	" 636W	13.7	135	127
	"	"	"	"	"	" 640W	12.4	133	146
	"	"	"	"	"	" 641W	13.7	124	152
	"	"	"	"	"	" 642W	12.0	131	156
	MILN 573U					" 650W	14.4	138	112
	"					" 651W	14.5	132	124
	MILN 588U					" 653W	11.1	134	159
Morinville Colony Morinville 939-2118	12 month average					(Not Available)			
	MCMC 24U					MCMC 126W	10.5	173	
Reiter Farms Ltd. Iron Springs 738-4472	12 month average					109 pigs	(12.4)	(151)	100
	KKEF 440T	-1.7	+0.1	130	92	RITR 1376W	10.8	145	128
	ARHL 795U					" 1397W	11.0	153	110
	"					" 1398W	10.4	141	139
	RITR 924T (1)	-1.3	-11.2	166	64	" 1447W	13.7	146	95
	"	"	"	"	"	" 1467W	12.8	137	124
	"	"	"	"	"	" 1475W	11.3	135	143
	RITR 1507U					" 1486W	13.7	140	108
	RITR 794U					" 1497W	8.1	131	183
	KKEF 440T	-1.7	+0.1	130	92	" 1522W	13.1	123	148
Roeske, M. Alcomdale 939-4938	12 month average					35 pigs	(15.0)	(147)	100
	YRZN 575T (1)					ROSE 332W	14.8	128	145
Wakeena Farm Bentley 748-4252	12 month average					(Not Available)			
	RITR 512U					KEEN 364W	11.8	159	
West, N. & T.J. Radway 736-3790	12 month average					31 pigs	(14.2)	(157)	100
	ATED 53S	-0.1	-0.1	102	68	ATED 143W	13.0	151	117
	"	"	"	"	"	" 144W	13.0	151	117
<u>LANDRACE</u>									
Agra Farms Ltd. Okotoks 938-7741	12 month average					119 pigs	(13.4)	(157)	100
	ARHL 552U					ARHL 459W	13.1	141	125
	"					" 460W	11.8	149	127
	"					" 464W	13.7	129	134
	AOUD 1803U					" 482W	12.8	139	132

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENT.	BACKFAT		AGE		INDEX
		FAT (MM)	AGE (DAYS)	EBV INDEX	% REP		90 KG (MM)		90 KG (DAYS)		
Barrett, R. & A. Ponoka 783-5192	12 month average ROYS 402T " " "	-0.8 " " "	-8.8 " " "	146 " " "	61 " " "	105 pigs ROYS 266W " 267W " 268W " 269W	(14.5) 11.3 12.9 11.4 10.2		(136) 133 129 123 134		100 136 129 156 144
Carrich Stock Farm Ponoka 783-5181	12 month average AVON 417U (1) " "					(Not Available) DICK 2018W " 2020W " 2021W					
Duff, D. Ft. Saskatchewan 998-3101	12 month average FLEV 351U "					57 pigs DUFF 380W " 464W	(14.6) 11.6 12.6		(149) 136 140		100 145 130
Knobben, J. Jarvie 954-2647	12 month average AREE 361U " AREE 361U " AREE 361U " " " "					(Not Available) AREE 202W " 205W " 210W " 212W " 220W " 221W " 223W " 225W " 226W					
Lakeland College Vermilion 853-8597, Ext. 597	12 month average ATAT 400U " " ARHL 313T (1)					98 pigs ATAT 278W " 336W " 337W " 338W " 361W	(14.6) 17.5 14.8 14.4 15.0 13.2		(160) 174 149 144 152 133		100 54 113 123 107 148
Matejka, T. Sylvan Lake 887-2656	12 month average TONY 1800U					26 pigs TONY 2026W	(13.9) 12.2		(161) 152		100 136
Milne, B. Ponoka 783-6695	12 month average EDJL 142U (1) " " "					44 pigs MILN 624W " 625W " 626W " 627W	(13.1) 12.9 12.5 13.8 14.3		(150) 141 146 138 135		100 116 114 106 100

BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENT.	BACKFAT		AGE		INDEX
		FAT (MM)	AGE (DAYS)	EBV INDEX	% REP		90 KG (MM)		90 KG (DAYS)		
Corinville Colony 12 month average						36 pigs	(13.1)		(146)		100
Corinville											
39-2118	MCMC 32U					MCMC 354W	16.7		154		51
	MCMC 125U					" 380W	14.5		150		79
	MCMC 125U					MCMC 381W	13.4		167		63
	"					" 383W	12.1		164		82
	"					" 387W	12.0		149		107
	ARHL 730R	+0.1	-1.3	104	77	" 402W	17.4		152		46
	"	"	"	"	"	" 405W	15.9		150		66
Deiter Farms Ltd. 12 month average						25 pigs	(12.7)		(146)		100
Iron Springs											
38-4472	TONY 615U					RITR 1387W	14.9		142		88
	"					" 1388W	15.6		146		75
	"					" 1389W	13.7		148		88
Keena Farm 12 month average						(Not Available)					
entley											
48-4252	DUFF 171U					KEEN 353W	11.3		165		
	"					" 355W	13.7		154		
	"					" 356W	10.2		164		
<u>LACOMBE</u>											
Loomsbury Farms Ltd. 12 month average						70 pigs	(15.9)		(142)		100
Loomsbury											
74-3307	BL 15309T					BL 3808W	13.8		166		90
	BL 15611T					" 3906W	13.1		152		112
	"					" 3907W	18.0		161		61
	"					" 4006W	15.0		146		103
	"					" 4007W	15.0		149		100
	"					" 4008W	13.8		156		101
	"					" 4009W	15.6		158		84
	"					" 4010W	12.7		147		121
	"					" 4106W	17.4		150		79
	"					" 4206W	14.3		142		114
	"					" 4211W	16.0		153		87
	"					" 4212W	16.7		155		79
	"					" 4302W	15.0		145		104
	BL 15309T					" 4404W	15.2		154		92
	"					" 4408W	18.6		136		85
	"					" 4410W	16.9		143		91
	"					" 4411W	15.0		144		106
	BL 15511T					" 4511W	13.8		143		117
	"					" 4512W	14.6		154		97
	BL 15309T					" 4606W	13.2		145		119
	"					" 4608W	14.8		140		112

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENT.	BACKFAT		AGE		INDEX
		FAT (MM)	AGE (DAYS)	EBV INDEX	% REP		90 KG (MM)		90 KG (DAYS)		
Bloomsbury Farms (continued)	BL 1512T					" 4706W	14.8		137		115
	"					" 4708W	17.1		138		95
	BL 2303U					" 4805W	15.9		138		105
	"					" 4806W	15.0		139		111
	"					" 4807W	15.0		136		115
	BL 2303U					BL 4809W	17.5		131		100
	BL 1505T					" 5005W	16.7		134		103
	"					" 5008W	15.5		135		112
	BL 1512T					" 5206W	16.9		122		116
	"					" 5206W	14.3		127		131
	"					" 5209W	16.3		126		116
	"					" 5210W	15.4		130		119
	BL 2202U					" 5704W	18.6		141		79
	"					" 5705W	18.1		127		100
	"					" 5708W	17.3		138		94


HAMPSHIRE

Bloomsbury Farms Ltd. 12 month average						49 pigs	(13.8)	(160)		100
Bloomsbury 674-3307	WM 8304T	-0.1	-6.2	124	63	WM 4902W	15.2		168	96
	"	"	"	"	"	" 4903W	11.6		162	139
	"	"	"	"	"	" 4904W	12.9		160	128
	"	"	"	"	"	" 4905W	12.6		154	136
	WM 1606U					" 5101W	13.4		154	128
	"					" 5102W	11.8		146	152
Brownlee, J. Hairy Hill 768-2313	12 month average					29 pigs	(12.9)	(167)		100
	BUFA 27U					ATAT 379W	13.2		180	84
	"					" 411W	12.6		172	99
	"					" 414W	11.5		177	105
Morinville Colony 12 month average						(Not Available)				
Morinville 939-2118	NP 4004U					MCMC 90W	11.9		160	
	"					" 92W	15.0		179	
	"					" 104W	11.2		147	
Reiter Farms Ltd. 12 month average						(Not Available)				
Iron Springs 738-4472	AHKP 580T					RITR 1274W	13.4		160	
	"					" 1275W	11.6		158	
	"					" 1405W	10.6		144	
	"					" 1406W	11.0		143	
	"					" 1416W	11.3		152	

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENT.	BACKFAT		AGE		INDEX
		FAT (MM)	AGE (DAYS)	EBV INDEX	% REP		90 KG (MM)	90 KG (DAYS)			
<u>DUROC</u>											
Reiter Farms Ltd. 12 month average						(Not Available)					
Iron Springs 738-4472	HILL 161T					RITR	1424W	12.7		138	
	"					"	1425W	12.1		138	
	"					"	1428W	14.0		138	
	"					"	1434W	12.7		135	
	"					"	1435W	12.3		139	
	"					"	1502W	10.9		128	
Reiter Farms Ltd.	HILL 161T					RITR	1503W	13.3		131	
(continued)	"					"	1504W	11.1		141	
	"					"	1505W	12.0		143	
<u>CROSSBRED</u>											
Bloomsbury Farms Ltd. 12 month average						23 pigs	(15.5)		(135)		100
Bloomsbury 674-3307	WM 8304T	-0.1	-6.2	124	63	8KJ	2208W	12.4		140	112
	"	"	"	"	"	"	2209W	14.0		139	103
	"	"	"	"	"	"	2210W	12.4		135	120
	"	"	"	"	"	"	2212W	12.3		145	104
	"	"	"	"	"	"	2213W	10.3		147	113
	BL 15611T	-0.4	-4.2	122	52	"	2504W	13.4		136	112
	"	"	"	"	"	"	2505W	16.7		135	93
	"	"	"	"	"	"	2707W	15.0		128	116
Lakeland College 12 month average						(Not Available)					
Vermilion 853-8597, Ext. 597	AOUD 858T (1)						319W	15.2		168	
	"						320W	16.7		167	
	"						321W	16.3		164	
Morinville Colony 12 month average						48 pigs	(13.7)		(166)		100
Morinville 339-2118	JKAA 1061T						498W	11.2		178	108
	475U						500W	14.8		167	88
Neufeld Farms Ltd. 12 month average						50 pigs	(14.3)		(160)		100
Neufeld 646-3969	NEUF 180T	-1.5	-7.2	177	42		128W	11.1		162	131
	"	"	"	"	"		130W	12.8		159	117
	"	"	"	"	"		133W	13.4		156	115
	"	"	"	"	"		134W	12.7		155	122
	"	"	"	"	"		135W	14.4		167	90

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENT.	BACKFAT		AGE		INDEX
		FAT (MM)	AGE (DAYS)	EBV INDEX	% REP		90 KG (MM)		90 KG (DAYS)		
Neufeld Farms (continued)	AJCM 2425T (1)					137W	12.0		173		107
	"					138W	14.2		154		108
	"					2153W	12.3		155		127
	332					2192W	12.5		158		121
	270					2201W	12.6		143		139
Ranchview Test Barn 12 month average						598 pigs	(13.5)		(157)		100
Bentley 748-3802	KKEF 2332T (1)	-1.8	-11.4	177	52	2632W	15.0		163		69
	"	"	"	"	"	2713W	13.1		147		123
	"	"	"	"	"	2717W	11.0		150		142
	"	"	"	"	"	2718W	13.6		154		104
	"	"	"	"	"	2731W	11.6		151		133
	KKEF 2332T (1)	-1.8	-11.4	177	52	2736W	13.2		155		106
	RFAA 3271T					2802W	10.8		145		155
	"					2803W	11.5		146		144
	RFAA 5711U					2813W	10.6		142		162
	"					2815W	10.5		145		159
	KKEF 2332T (1)	-1.8	-11.4	177	52	2824W	13.7		150		110
	AOD 858T (1)					2831W	14.2		164		77
	"					2832W	11.9		155		122
	KKEF 2332T (1)	-1.8	-11.4	177	52	2843W	15.0		157		82
	AJCM 2425T (1)					2862W	12.7		149		124
	AVON 417U (1)					2871W	14.0		147		112
	RITR 924T (1)	-1.3	-11.2	166	64	2885W	11.4		160		117
	"	"	"	"	"	2887W	11.3		144		151
	"	"	"	"	"	2889W	12.3		163		102
	AMBW 514S (1)	-2.0	+6.9	109	94	2924W	15.0		142		110
	AJCM 2425T (1)					2953W	11.9		147		138
	"					2992W	12.7		148		127
	"					2993W	13.9		152		105
	"					2793W	15.7		157		74
	RFAA 3522T					2911W	13.7		153		105
	"					2914W	13.2		145		127
	AOZM 333T (1)	+0.5	+0.3	81	66	2932W	12.3		153		122
	AOD 858T (1)					3001W	12.8		158		105
	RFAA 3522T					3063W	14.4		153		97
	"					3064W	12.6		155		114
Ranchview Farms "B" 12 month average						122 pigs	(13.4)		(160)		100
Bentley 748-3802	EDJL 142U (1)					3914W	11.8		158		122
	"					3918W	12.4		155		121
	RFAA 5496S					3967W	13.6		154		109
	RFAA 5999T					4012W	13.5		160		98
	"					4014W	14.7		148		109

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENT.	BACKFAT		AGE		INDEX
		FAT (MM)	AGE (DAYS)	EBV INDEX	% REP		90 KG (MM)	90 KG (DAYS)			
West, N. & T.J. Radway	12 month average					(Not Available)					
736-3790	ATED 2R					1004W	16.6		162		



G I L T S

BREEDER ADDRESS & TELEPHONE	12 MONTH AVERAGE			THIS PROBE PERIOD		
	# PROBED	BACKFAT (MM)	AGE (DAYS)	# PROBED	AVG. BACKFAT	AVG. AGE
<u>YORKSHIRE</u>						
Agra Farms Ltd. Okotoks 938-7741	121	14.4	157	26	13.5	152
Barrett, R. & A. Ponoka 783-5192	(Not Available)			13	14.2	152
Brownlee, J. Hairy Hill 768-2313	39	15.4	167	9	17.3	160
Carrich Stock Farm Ponoka 783-5181	(Not Available)			7	12.6	190
Knobben, G. Jarvie 954-2125	54	13.4	166	9	13.4	152
Knobben, J. Jarvie 954-2647	34	13.4	162	1	14.6	147
Maschmeyer, D. Bruderheim 998-2845	40	15.3	151	4	15.0	152
Maschmeyer, G. Bruderheim 998-2845	27	14.8	153	6	13.5	145
Milne, B. Ponoka 783-6695	116	14.2	157	6	13.6	132
Morinville Colony Morinville 939-2118	(Not Available)			1	12.9	168

BREEDER ADDRESS & TELEPHONE	12 MONTH AVERAGE			THIS PROBE PERIOD		
	# PROBED	BACKFAT (MM)	AGE (DAYS)	# PROBED	AVG. BACKFAT	AVG AGE
Reiter Farms Ltd. Iron Springs 738-4472	151	13.7	161	31	12.4	149
Roeske, M. Alcomdale 939-4938	137	16.0	156	8	14.6	150
West, N. & T.J. Radway 736-3790	23	14.3	160	3	15.6	149
<u>LANDRACE</u>						
Agra Farms Ltd. Okotoks 938-7741	150	13.6	160	5	13.9	146
Barrett, R. & A. Ponoka 783-5192	137	15.9	143	6	12.7	137
Duff, D. Ft. Saskatchewan 998-3101	102	14.5	149	1	14.0	145
Knobben, J. Jarvie 954-2647	(Not Available)			6	13.1	165
Lakeland College Vermilion 853-8597, Ext. 597	143	15.5	166	13	14.9	155
Milne, B. Ponoka 783-6695	50	14.4	151	4	12.1	134
Morinville Colony Morinville 939-2118	47	14.1	151	19	13.7	161
Reiter Farms Ltd. Iron Springs 738-4472	27	14.1	155	8	12.6	157

	12 MONTH AVERAGE			THIS PROBE PERIOD		
BREEDER ADDRESS & TELEPHONE	# PROBED	BACKFAT (MM)	AGE (DAYS)	# PROBED	AVG. BACKFAT	AVG. AGE
<hr/>						
Wakeena Farm Bentley 748-4252	23	14.8	167	6	12.9	167
<u>LACOMBE</u>						
Bloomsbury Farms Ltd. Bloomsbury 674-3307	70	16.7	148	26	15.7	145
<u>HAMPSHIRE</u>						
Bloomsbury Farms Bloomsbury 674-3307	51	14.0	178	11	13.1	147
Brownlee, J. Hairy Hill 768-2313	35	13.2	177	2	16.9	173
Morinville Colony Morinville 939-2118	(Not Available)			12	13.4	148
Reiter Farms Ltd. Iron Springs 738-4472	(Not Available)			10	12.3	152
<u>DUROC</u>						
Reiter Farms Ltd. Iron Springs 738-4472	(Not Available)			6	14.5	147
<u>CROSSBRED</u>						
Bloomsbury Farms Ltd. Bloomsbury 674-3307	37	16.2	134	17	16.1	142
Carrich Stock Farm Ponoka 783-5181	66	14.0	180	13	12.8	170
Lakeland College Vermilion 853-8597, Ext. 597	(Not Available)			9	15.2	148

BREEDER ADDRESS & TELEPHONE	12 MONTH AVERAGE			THIS PROBE PERIOD		
	# PROBED	BACKFAT (MM)	AGE (DAYS)	# PROBED	AVG. BACKFAT	AV AG
Milne, B. Ponoka 783-6695	160	14.3	151	2	13.4	12
Morinville Colony Morinville 939-2118	187	14.8	170	31	13.8	18
Olds College Olds 556-8393	377	15.5	160	59	15.3	15
Ranchview Test Barn Bentley 748-3802	231	14.4	171	9	14.1	15
Ranchview Farms "B" Bentley 748-3802	728	15.2	167	38	13.7	15
West, N. & T.J. Radway 736-3790	191	15.5	158	24	15.2	14